





## gas detection and instrumentation



portables | PRICELIST USD

may

2006



**BW Technologies** by Honeywell

	SINGLE GAS				MULTI-GAS				
Features	GasAlert100 100 day detector	GasAlertClip Extreme 2 2-year detector	GasAlertClip Extreme 3 3-year detector	GasAlert Extreme	GasAlertMicroClip	GasAlertMicro	GasAlertMicro 5	GasAlertMicro 5 PID*	GasAlertMax
Number of Sensors	1	1	1	1	1-4	1-4	1-5	1-5	1-4
Zero-Maintenance	■	■	■						
Water Resistant		■	■	■	■		■	■	
Datalogging				■+	■	■+	■+	■+	■+
Event Logging		■	■	■	■				
<b>MicroDock II Compatible</b>	■	■	■	■	■	■	■	■	
Integral Pump							■+	■+	■
Gases	Hydrogen Sulfide (H <sub>2</sub> S)	Carbon Monoxide (CO)	Oxygen (O <sub>2</sub> )	Combustible (LEL)	Sulfur Dioxide (SO <sub>2</sub> )	Hydrogen Cyanide (HCN)	Chlorine (Cl <sub>2</sub> )	Nitrogen Dioxide (NO <sub>2</sub> )	Ammonia (NH <sub>3</sub> )
Hydrogen Sulfide (H <sub>2</sub> S)	■	■	■	■	■	■	■	■	■
Carbon Monoxide (CO)	■	■	■	■	■	■	■	■	■
Oxygen (O <sub>2</sub> )		■		■	■	■	■	■	■
Combustible (LEL)					■	■	■	■	■
Sulfur Dioxide (SO <sub>2</sub> )		■		■		■	■	■	■
Hydrogen Cyanide (HCN)				■		■	■	■	■
Chlorine (Cl <sub>2</sub> )				■			■	■	■
Nitrogen Dioxide (NO <sub>2</sub> )				■			■	■	■
Ammonia (NH <sub>3</sub> )				■			■	■	■
Chlorine Dioxide (ClO <sub>2</sub> )				■			■	■	
Ozone (O <sub>3</sub> )				■			■	■	
Nitric Oxide (NO)				■					
Phosphine (PH <sub>3</sub> )				■			■	■	
Ethylene Oxide (ETO)				■					
Photoionization Detector (PID)								■*	
■+ – optional feature	Confined space kits available for all multi-gas detectors								
*10.6 eV PID sensor detects a wide variety of VOCs and should be used wherever VOCs are present or suspected to be present									

## Table of Contents

### Zero-Maintenance Detectors

GasAlert100.....	3
GasAlertClip Extreme 3.....	4
GasAlertClip Extreme 2.....	4

### Single-Gas Detectors

GasAlert Extreme.....	6
-----------------------	---

### Multi-Gas Detectors

GasAlertMicroClip .....	12
GasAlertMicro.....	16
GasAlertMax.....	24
GasAlertMicro 5.....	28
GasAlertMicro 5 PID.....	35

### Automatic Calibration and Test Station

MicroDock II.....	42
-------------------	----

### HVAC Test Equipment

GasProbe IAQ.....	46
GasProbe CO.....	48

## Appendix

Calibration Equipment .....	52
-----------------------------	----

PID Information .....	58
-----------------------	----

Service and Training .....	60
----------------------------	----

Distributor's Website .....	60
-----------------------------	----



## **BW Technologies by Honeywell**

develops, manufactures and markets gas detection instrumentation to protect personnel and facilities around the world. Reliable, technology-driven instruments provide cost-effective solutions for all your gas detection needs.

## **Chemical Formulas for Gases**

$C_2H_4O$	Ethylene Oxide (ETO)
$C_2H_5OH$	Ethanol
$C_3H_8$	Propane
$C_4H_{10}$	Butane
$C_5H_{12}$	Pentane
$C_6H_{14}$	Hexane
$CH_4$	Methane
$Cl_2$	Chlorine
$ClO_2$	Chlorine Dioxide
$CO$	Carbon Monoxide
$H_2$	Hydrogen
$H_2S$	Hydrogen Sulfide
$HCl$	Hydrogen Chloride
$HCN$	Hydrogen Cyanide
$N_2$	Nitrogen
$NH_3$	Ammonia
$NO$	Nitric Oxide
$NO_2$	Nitrogen Dioxide
$O_2$	Oxygen
$O_3$	Ozone
$PH_3$	Phosphine
$SO_2$	Sulfur Dioxide

## **Applications**

BW Technologies serves industrial, commercial and HVAC markets, including:

- Oil and gas
- Municipalities
- Utilities
- Telecom
- Refineries and petrochemical facilities
- Chemical
- Pharmaceuticals
- Steel mills
- Fire rescue
- Pulp and paper
- Construction
- Marine and shipping
- Airlines
- Transportation
- Agriculture
- Confined space entry



## Packaging Contents:

**Standard Versions:** come ready for use and complete with sensor, belt clip and instructions.

The *GasAlert100* is a practical, cost-effective solution to short-term work projects. The *GasAlert100* provides 100 days of continuous, maintenance-free operation from the day of activation. Operated by an advanced microcontroller and electrochemical sensor, it's equipped with two levels of alarm and a continuous, alphanumeric confidence LCD.

## Features:

- 100 days of protection with no maintenance, no sensor or battery replacement, no calibration, no downtime costs—ideal for employees and contractors for short-term work projects
- Compact (1.0 x 1.45 x 2.3 inches / 26 x 37 x 58 mm) and lightweight (1 oz. / 30 g)
- Continuous, alphanumeric LCD shows detector life remaining, alarm setpoints and advises self-test status
- Records and displays the peak alarm encountered and the time elapsed since the event occurred
- Provides 95 dB (typical) alarm tone
- Full function self-test of audible/visual alarms integrity of sensor, battery and circuitry
- 100 day warranty (life of instrument) including sensor

<i>GasAlert100</i>	Alarm Setpoints	Order Number	Price(USD)
Hydrogen Sulfide (H <sub>2</sub> S)	Low - 10 ppm / High - 15 ppm	GA100-H	\$120.00
Carbon Monoxide (CO)	Low - 35 ppm / High - 200 ppm	GA100-M	\$120.00

*Note: customer specified alarm settings are available for orders with a minimum quantity of ten (10) units.*

## Accessories

Hard Hat Clip (non-conductive)	GA-HC-1	\$15.00
Arm Band	GA-ARM-1	\$25.00
Neckstrap with safety release	GA-NS-1	\$10.00
Short Strap (6 in./ 15.2 cm)	GA-LY-1	\$5.00
<i>GasAlert100 Test Station</i> (110-240 VAC) with regulator, North American plug type. <i>Note 1: Order gas separately (see Calibration Equipment section, page 52) Note 2: For delivery with alternative plug version add suffix -xx: United Kingdom (-UK), European (-EU), China/Australia (-AU), Switzerland (-CH)</i>	GA-TS04 (-xx)	\$595.00
Interactive CD	GA100-CDT	\$3.00



Hard Hat Clip  
GA-HC-1  
\$15.00



GasAlert100 Test Station  
110-240 VAC with regulator (gas separate)  
GA-TS04  
\$595.00

# GasAlertClip Extreme 3 / GasAlertClip Extreme 2

2 - O R 3 - Y E A R Z E R O - M A I N T E N A N C E



ACTUAL SIZE

## Packaging Contents:

**Standard Versions:** units come ready for use; complete with integral water-resistant IP 66/67 concussion-proof housing, sensor, stainless steel alligator belt clip, test cap and instructions.

Simply press the START/TEST button and the *GasAlertClip Extreme 3* or *GasAlertClip Extreme 2* is ready to use, providing two or three years of continuous, maintenance-free operation from the day of activation.

## Features:

- Maintenance free—2 or 3 years of protection with no sensor or battery replacement, no calibration, no downtime
- Compact (1.1 x 2.0 x 3.2 in. / 28 x 50 x 81 mm) and lightweight (2.7 oz. / 76 g)
- Built-in concussion-proof boot
- Peak alarm and the time elapsed since the exposure
- Automatic event logging records 10 most recent alarm events that can be downloaded via built-in IR COM port to a printer, computer or *MicroDock* // docking station module
- 95 dB tone (typical) and bright, quad-LED indication on alarm
- Internal vibrator alarm
- Rugged, IP 66/67 highly water-resistant design
- Full function self-test of audible/visual alarms, integrity of sensor, battery and circuitry
- Warranty—life of instrument including sensors

## GasAlertClip Extreme 3

### Alarm Setpoints

### Order Number

### Price(USD)

Hydrogen Sulfide (H <sub>2</sub> S)	Low - 10 ppm / High - 15 ppm	GA36XT-H	\$240.00
Carbon Monoxide (CO)	Low - 35 ppm / High - 200 ppm	GA36XT-M	\$240.00

## GasAlertClip Extreme 2

Hydrogen Sulfide (H <sub>2</sub> S)	Low - 10 ppm / High - 15 ppm	GA24XT-H	\$189.00
Carbon Monoxide (CO)	Low - 35 ppm / High - 200 ppm	GA24XT-M	\$189.00
Sulfur Dioxide (SO <sub>2</sub> )	Low - 5 ppm / High - 10 ppm	GA24XT-S	\$310.00
Oxygen (O <sub>2</sub> )	Low - 19.5 % / High - 23.5 %	GA24XT-X	\$189.00
To receive a detector with slip-on belt clip (stainless steel)		Add Suffix "-CL1"	no charge
To receive a detector with non-conductive alligator belt clip		Add Suffix "-AG1"	no charge

*Note: customer specified alarm settings are available for orders with a minimum quantity of ten (10) units.*

## Carrying Accessories

### Order Number

### Price(USD)

Concussion-proof Boot with stainless steel alligator clip	GA24-BALERT	\$20.00
Splash Guard Filters, kit of 5 for Concussion-proof Boot	GA-BSPLASH-K	\$10.00
Hard Hat Clip (non-conductive)	GA-HC-1	\$15.00

GasAlertClip Extreme	Order Number	Price(USD)
Alligator Clip (non-conductive)	GA-AG-1	\$12.00
Alligator Clip (stainless steel) replacement (included with standard detector)	GA-AG-2	\$14.00
Neckstrap with safety release	GA-NS-1	\$10.00
Short Strap (6 in./ 15.2 cm)	GA-LY-1	\$7.00
Extension Strap (4 ft./ 1.2 m)	GA-ES-1	\$25.00
Arm Band	GA-ARM-1	\$25.00
<b>Datalogging Accessories and Spares</b>		
IR DataLink USB adaptor	GA-USB2	\$200.00
IR Handheld Printer	GPR-PRINTER	\$450.00
Printer Paper replacement for GPR-PRINTER, 3 rolls	GPR-PP-K4	\$19.00
<b>Testing Equipment and Spares</b>		
Test Cap and Hose (1 ft./0.3 m) replacement (standardly included with detector)	GA-TC-1	\$10.00
<i>MicroDock II Automatic Test and Calibration System—Base Station and GasAlertClip Extreme Docking Module</i> H <sub>2</sub> S (Hydrogen Sulfide) SO <sub>2</sub> (Sulfur Dioxide) CO (Carbon Monoxide) O <sub>2</sub> (Oxygen)	DOCK2-2-1E-00-N DOCK2-2-1F-00-N DOCK2-2-1G-00-N DOCK2-2-1H-00-N	\$1,495.00
<i>Note: For complete MicroDock II system configuration information, see MicroDock II section, page 42</i>		
<i>GasAlertClip Extreme MicroDock II Docking Module</i> H <sub>2</sub> S (Hydrogen Sulfide) SO <sub>2</sub> (Sulfur Dioxide) CO (Carbon Monoxide) O <sub>2</sub> (Oxygen)	DOCK2-0-1E-00-N DOCK2-0-1F-00-N DOCK2-0-1G-00-N DOCK2-0-1H-00-N	\$500.00
<i>Note: For complete MicroDock II system configuration information, see MicroDock II section, page 42</i>		
<i>GasAlertClip Extreme Test Station (110-240 VAC) with regulator, North American plug type. Note 1: Order gas separately (see Calibration Equipment section, page ...) Note 2: For delivery with alternative plug version add suffix -xx: United Kingdom (-UK), European (-EU), China/Australia (-AU), Switzerland (-CH)</i>	GA-TS02 (-xx)	\$595.00
Manual Aspirator Pump Kit with 1 ft./0.3 m probe	GA-AS02	\$79.00
Hydrophobic filter replacement with male connector for Aspirator Pump	D4-WT-1	\$9.00
Sampling Hose (10 ft./3 m) with particulate filter for Aspirator Pump — for longer hose lengths: modify order number suffix and add unit cost to base cost (D4-HAS-10)	D4-HAS-10 D4-HAS-(##)	\$75.00 add \$2.50 / ft.
Sampling Float for GasAlert series detectors	GA-FLOAT	\$55.00
<i>GasAlertClip Extreme Test Station (110-240 VAC) with regulator, North American plug type. Note 1: Order gas separately (see Calibration Equipment section, page ...) Note 2: For delivery with alternative plug version add suffix -xx: United Kingdom (-UK), European (-EU), China/Australia (-AU), Switzerland (-CH)</i>	GA-TS02 (-xx)	\$595.00
<b>Instructional Materials</b>		
Interactive Training CD-ROM - GasAlertClip Extreme	GA-CDT2	\$5.00



IR DataLink  
USB adaptor  
GA-USB2  
\$200.00



Concussion-proof Boot  
GA24-BALERT  
\$20.00



MicroDock II  
Automatic Test and  
Calibration Station  
(see page 42 )



ACTUAL SIZE

## Packaging Contents:

**Standard Versions:** come complete with integral water-resistant IP 66/67 concussion-proof housing, built-in vibrator alarm, field replaceable battery, sensor, stainless steel alligator clip, test cap, hose and instructions.

**Multi-language Versions:** include the above plus options for LCD readings in English, French, German, Spanish or Portuguese.

**Datalogging\*/Multi-language Versions:** come with all of the above plus full event logging and datalogging capabilities.

\*Downloading datalogged information requires use of the GA-USB2 highspeed IR adaptor. Receive a GA-USB2 IR DataLink USB Adaptor with purchase of 10 or more Datalogging GasAlert Extreme detectors.

Compact and affordable *GasAlert Extreme* detectors are available for a wide variety of atmospheric hazards. The *GasAlert Extreme* is highly water-resistant, with an IP 66/67 fully immersible, EMI / RFI resistant housing, built-in concussion-proof boot, and heavy-duty, stainless steel, alligator style belt-clip. An extra-loud audible alarm, flashing LED light bars, and built-in vibrator alerts users to hazardous conditions. The large, easy-to-read display includes a built-in backlight that ensures readings are legible even in dim light conditions. An easily changed 3V camera battery provides up to two years of continuous operation.

## Features:

- Rugged, IP-66/67 highly water-resistant design
- Compact (1.1 x 2.0 x 3.75 in. / 28 x 50 x 95 mm) and lightweight (2.9 oz. / 82 g)
- 2-year battery life (typical) with replaceable 3V camera battery
- Internal vibrator alarm
- Equipped with plug-in, replaceable sensor
- Simple automatic calibration procedure; compatible with BW's *MicroDock II* Automatic Test and Calibration System
- Multiple language and datalogging options available
- Full function self-test of: sensor, battery, and circuitry integrity
- Field settable user options include adjustable setpoints, confidence beep and span setpoint
- *GasAlert Extreme SamplerPak* kits available for sample draw applications
- Two year warranty; including sensor (NH<sub>3</sub> sensor - one year)



*MicroDock II*  
Automatic Test and  
Calibration Station  
(see page 42)



Interactive Training CD  
GA-CDT2



IR DataLink  
USB adaptor  
GA-USB2  
\$200.00

GasAlert Extreme	Measuring Range	Order Number	Price (USD)	Standard	Multi-Language [add suffix -ML to order number e.g. GAXT-H-ML]	Datalogging* / Multi-Language [add suffix -DL to order number e.g. GAXT-H-DL]
Hydrogen Sulfide (H <sub>2</sub> S)	0-100 ppm	GAXT-H	\$295.00	\$310.00	\$395.00	
Hydrogen Sulfide (H <sub>2</sub> S)	0-500 ppm	GAXT-H-2	\$295.00	\$310.00	\$395.00	
Carbon Monoxide (CO)	0-1000 ppm	GAXT-M	\$295.00	\$310.00	\$395.00	
Carbon Monoxide (CO), H <sub>2</sub> resistant	0-1000 ppm	GAXT-M2	\$295.00	\$310.00	\$395.00	
Oxygen (O <sub>2</sub> )	0-30.0%	GAXT-X	\$295.00	\$310.00	\$395.00	
Sulfur Dioxide (SO <sub>2</sub> )	0-100 ppm	GAXT-S	\$395.00	\$410.00	\$495.00	
Chlorine (Cl <sub>2</sub> )	0-50.0 ppm	GAXT-C	\$395.00	\$410.00	\$495.00	
Hydrogen Cyanide (HCN)	0-30.0 ppm	GAXT-Z	\$395.00	\$410.00	\$495.00	
Nitrogen Oxide (NO <sub>2</sub> )	0-99.9 ppm	GAXT-D	\$395.00	\$410.00	\$495.00	
Ammonia (NH <sub>3</sub> )	0-100 ppm	GAXT-A	\$395.00	\$410.00	\$495.00	
Ammonia (NH <sub>3</sub> )	0-400 ppm	GAXT-A2	\$395.00	\$410.00	\$495.00	
Phosphine (PH <sub>3</sub> )	0-5.0 ppm	GAXT-P	\$395.00	\$410.00	\$495.00	
Ozone (O <sub>3</sub> )	0-1 ppm	GAXT-G	\$395.00	\$410.00	\$495.00	
Ethylene Oxide (ETO)	0-100 ppm	GAXT-E	\$395.00	\$410.00	\$495.00	
Nitric Oxide (NO)	0-250 ppm	GAXT-N	\$395.00	\$410.00	\$495.00	
Chlorine Dioxide (ClO <sub>2</sub> )	0-1 ppm	GAXT-V	\$395.00	\$410.00	\$495.00	

Note: black housing available at no additional charge.

\*Free USB Adaptor —Download of datalogged information requires use of the GA-USB2 highspeed IR adaptor. Receive a GA-USB2 IR DataLink USB Adaptor at no charge with purchase of 10 or more Datalogging GasAlert Extreme detectors.

GasAlert Extreme SamplerPaks	Order Number	with Standard Unit Price (USD)	with Multi-Language Unit	with Datalogging* / Multi-Language Unit
GasAlert Extreme SamplerPak	Add Suffix "-SK"	add \$250.00 to price of detector (see chart above)		
	example: GAXT-M-SK	\$545.00	\$560.00	\$645.00
GasAlert Extreme SamplerPak with Charger/Battery Kit (GAMIC-C01-K)	Add Suffix "-SKC"	add \$290.00 to price of detector alone (see chart above)		
	example: GAXT-M-SKC	\$585.00	\$600.00	\$685.00
For delivery with alternative plug type:				
United Kingdom	Add Suffix "-UK"	no charge		
Europe	Add Suffix "-EU"	no charge		
Australia	Add Suffix "-AU"	no charge		
China/New Zealand	Add Suffix "-CN"	no charge		

\*Free USB Adaptor —Download of datalogged information requires use of the GA-USB2 highspeed IR adaptor. Receive a GA-USB2 IR DataLink USB Adaptor at no charge with purchase of 10 or more Datalogging GasAlert Extreme Detectors.



## Kit Contents:

**SamplerPak Kits:** Include GasAlert Extreme detector with standard accessories and Sampler (external motorized sampling pump), sampling hose with airstone filter (10 ft./3 m), coiled connector hose, two sampling tubes (10.25 inches/26 cm and 4.65 inches/12 cm) and carrying case.



# GasAlert Extreme Accessories and Spares

S I N G L E - G A S A C C E S S O R I E S & S P A R E S

GasAlert Extreme	Order Number	Price(USD)
<i>Carrying Accessories and Options</i>		
Concussion-proof Boot with stainless steel alligator clip	GA-BALERT	\$25.00
Splash Guard Filters, kit of 5 for Concussion-proof Boot	GA-BSPLASH-K	\$10.00
Hard Hat Clip (non-conductive)	GA-HC-1	\$15.00
Alligator Clip (non-conductive)	GA-AG-1	\$12.00
Alligator Clip (stainless steel) replacement (standardly included with detector)	GA-AG-2	\$14.00
Belt Clip with screw	GA-CL-1	\$4.00
Neckstrap with safety release	GA-NS-1	\$10.00
Short Strap (6 in./ 15.2 cm)	GA-LY-1	\$5.00
Extension Strap (4 ft./ 1.2 m)	GA-ES-1	\$25.00
Arm Band	GA-ARM-1	\$25.00
Chest Harness	GA-CH-2	\$45.00
<i>Datalogging Accessories and Spares</i>		
IR DataLink USB adaptor <i>Note: Receive a free adaptor with purchase of 10 or more datalogging GasAlert Extreme detectors. This high speed adaptor is required to download information from a datalogging GasAlert Extreme.</i>	GA-USB2	\$200.00
IR Handheld Printer	GPR-PRINTER	\$450.00
Printer Paper replacement for GPR-PRINTER, 3 rolls	GPR-PP-K4	\$19.00
<i>Sampling/Testing Equipment and Spares*</i>		
Test Cap and Hose (1 ft./0.3 m) replacement (standardly included with detector)	GA-TC-1	\$10.00
MicroDock II Automatic Test and Calibration System—Base Station and GasAlert Extreme Docking Module <i>Note: For complete MicroDock II system configuration information, see MicroDock II section, page 42</i>	DOCK2-2-1D-00-N	\$1,495.00
GasAlert Extreme MicroDock II Docking Module <i>Note: For complete MicroDock II system configuration information, see MicroDock II section, page 42</i>	DOCK2-0-1D-00-N	\$500.00
GasAlert Extreme Test Station (110-240 VAC) with regulator, North American plug <i>Note 1: Order gas separately (see Calibration Equipment section, page ...) Note 2: For delivery with alternative plug version add suffix -xx: United Kingdom (-UK), European (-EU), China/Australia (-AU), Switzerland (-CH)</i>	GA-TS03 (-xx)	\$595.00
Manual Aspirator Pump Kit with 1 ft./0.3 m probe	GA-AS02	\$79.00
Hydrophobic filter replacement with male connector for Aspirator Pump	D4-WT-1	\$9.00
Sampling Hose (10 ft./3 m) with particulate filter for Aspirator Pump — for longer hose lengths: modify order number suffix and add unit cost to base cost (D4-HAS-10)	D4-HAS-10 D4-HAS-(##)	\$75.00 add \$2.50 / ft.
Sample Probe (1 ft./0.3 m) with particulate filters and hydrophobic barrier	GA-PROB1-1	\$30.00

\*Note: For sampling hoses and calibration gases, see Calibration Equipment section, page 52



IR Handheld Printer  
GPR-PRINTER  
\$450.00

## GasAlert Extreme

	Order Number	Price(USD)
Replacement Filter Kit for GA-PROB1-1 sample probe	GA-PROB-FIL-K1	\$10.00
Replacement Part Kit for GA-PROB1-1 sample probe	GA-PROB-RK1	\$22.00
Hydrophobic (water trap) Filters 1.0µm, kit of 20 for GA-PROB1-1 sample probe	GA-SFIL-K1	\$140.00
Telescopic Sample Probe (7.9 ft./2.4 m)	GA-TPROB7	\$120.00
Sampling Float	GA-FLOAT	\$55.00
<b>SamplerPak - Kit, Accessories, Options and Spares</b>		
SamplerPak, motorized sampling pump portable kit includes motorized pump, sampling tubes/probes with room for a detector in a hard-sided carrying case	GA-SPAK (-xx)	\$285.00
<i>Note: Specify plug/region version (-xx): United Kingdom (-UK), European (-EU), China/New Zealand (-CN), Australia (-AU), Switzerland (-CH)</i>		
Collapsible Sample Probe (3 ft./0.9 m) for Sampler	SP-CPROB1	\$65.00
Collapsible Sample Probe (14 ft./3.4 m) for Sampler	SP-CPROB1-14	\$115.00
Sampling Hose (10 ft./3 m) with quick connect and particulate filter for Sampler — for longer hose lengths: modify order number suffix and add unit cost to base cost (D4-HSP-10)	D4-HSP-10 D4-HSP-(##)	\$55.00 add \$2.50 / ft.
Sample Probe for Sampler - per ft./0.3m (maximum 8 ft./2.4m)	SP-T1-2	\$2.50 / ft.
Belt Holster for Sampler	GA-HSAMP	\$20.00
Replacement Sampler Pump Filters (white), kit 5	SP-PF-1	\$10.00
Replacement Airstone Water/Particulate Filter for Sampling Hoses	D4-PF-1	\$18.00
Replacement Short Sample Tube (4.65 in./11.8 cm) with barbed fitting	SP-T2-S	\$12.00
Replacement Medium Sample Tube (10.25 in./26 cm) with barbed fitting	SP-T2-M	\$15.00
Replacement Sampler motorized sampling pump for SamplerPak portable kits	GA-SP01	\$250.00
Replacement Sampler motorized sampling pump for SamplerPak portable kits (ATEX approved)	GA-SP02	\$250.00
Replacement Pump Gaskets for Sampler, kit of 5	SP-GK-1	\$10.00
Replacement Barbed Plastic Fitting for Sampler/Instrument Hose, kit of 5	SP-HF-1	\$10.00
Replacement Coiled Connector Tubing for Sampler	SP-CT-1	\$30.00
Replacement screws, kit of 10	M2437K	\$4.00
Replacement Carrying Case (empty) with foam for SamplerPak portable kits	SPAK-CC1	\$45.00
<b>Power Spares</b>		
Battery - lithium, 3-volt, disposable	E2829	\$12.50



Concussion-proof Boot  
GA-BALERT  
\$25.00



Hard Hat Clip  
GA-HC-1  
\$15.00



Sampling Float  
for GasAlert series GA-FLOAT  
\$55.00

# GasAlert Extreme Accessories and Spares

GasAlert Extreme	Order Number	Price(USD)
<b><i>Instructional Materials</i></b>		
Interactive Training CD-ROM, GasAlert Extreme	GA-CDT2	\$5.00
Training Video on CD-ROM, GasAlert Series including GasAlert Extreme	GA-CDT	\$5.00
CD-ROM - Multi-language Instructions - GasAlert Extreme (included with detector)	GA24XT-CDM3	\$5.00
<b><i>Sensor Spares and Replacements</i></b>		
Replacement Sensor Screens with gasket, kit of 10	GAXT-SS	\$8.00
Hydrogen Sulfide (H <sub>2</sub> S) Sensor	PS-RH04S	\$210.00
Hydrogen Sulfide (H <sub>2</sub> S) Sensor, methanol resistant	SR-H204	\$210.00
Carbon Monoxide (CO) Sensor	PS-RM04	\$220.00
Carbon Monoxide (CO) Sensor, H <sub>2</sub> resistant	PS-RM04H	\$240.00
Sulfur Dioxide (SO <sub>2</sub> ) Sensor	PS-RS04	\$297.00
Chlorine (Cl <sub>2</sub> ) Sensor	PS-RC10	\$297.00
Hydrogen Cyanide (HCN) Sensor	PS-RZ10	\$285.00
Nitrogen Dioxide (NO <sub>2</sub> ) Sensor	PS-RD04	\$297.00
Ammonia (NH <sub>3</sub> ) Sensor	SR-A04	\$297.00
Ammonia (NH <sub>3</sub> ) Sensor, extended range	SR-A204	\$297.00
Phosphine (PH <sub>3</sub> ) Sensor	SR-P04	\$297.00
Ethylene Oxide (ETO) Sensor	SR-E04	\$185.00
Ozone (O <sub>3</sub> ) Sensor	SR-G04	\$305.00
Nitric Oxide (NO) Sensor	SR-N04	\$185.00
Chlorine Dioxide (ClO <sub>2</sub> ) Sensor	SR-V04	\$297.00
Oxygen (O <sub>2</sub> ) Sensor	SR-X10	\$135.00



*GasAlert Extreme's*  
durable, water-resistant  
housing weathers  
the storm.

*GasAlertMicro*  
protecting the  
lives of offshore oil  
platform workers.



NEW!

The ultra-slim *GasAlertMicroClip* simultaneously displays gas concentrations for up to four gases: H<sub>2</sub>S, CO, O<sub>2</sub> and/or combustibles. Durability, reliability and true one-button operation make the *GasAlertMicroClip* the easiest and most cost-effective multi-gas detector. The versatile *GasAlertMicroClip* is the perfect choice for a wide variety of monitoring applications, including confined space entry.

## Features:

- Simple one-button operation
- Rugged, ultra-compact (4.2 x 2.4 x 1.1 in /10.7 x 6.0 x 2.7 cm) and lightweight (5.6 oz. /160 g)
- Powered by a lithium polymer battery (run-time typically 12 hours; recharge in less than 3 hours)
- Internal vibrating alarm
- Datalogging (16 hours) and event logging (10 events)
- Plug-in replaceable sensors
- Integral concussion-proof boot for the most rugged environments
- Provides 95 dB alarm tone and bright wide-angled alarm bars
- Simple automatic calibration procedure; compatible with BW's *MicroDock II* Automatic Test and Calibration System
- Four alarm levels: Instant Low and High Alarm for all gases; TWA (time weighted average) and STEL (short term exposure limit) for H<sub>2</sub>S, CO; OL (over limit alarm)
- Records TWA, STEL and maximum exposures to gas and displays readings on command
- Backlight: in alarm (auto) and on demand reactivation
- Full set of selectable user options including: confidence beep, latching alarm, calibration due date, bump due date, "SAFE" display function, multi-language, span concentration values, combustible sensor measurement selection and stealth mode
- Full function self-test of: sensor, battery, circuitry and audible/visual/vibration alarms
- Two year warranty; including sensors



ACTUAL SIZE

## Packaging Contents:

The *GasAlertMicroClip* comes complete with:

**Standard Versions:** sensors, stainless-steel alligator clip, a dependable lithium polymer rechargeable battery, charging adaptor, interactive training CD, calibration cap/hose, instructions and quick reference card.

**Confined Space Kits additionally include:**

IR Connectivity Kit for data downloading and instrument setup; remote sampling kit with 10 ft./3m sample tubing and probe; calibration gas; regulator; fittings; and foam-lined carrying case.

**SamplerPak Kits additionally include:**

Sampler (motorized sampling pump), sampling hose with airstone filter (10 ft./3 m), coiled connector hose, two sampling tubes (10.25 in./26 cm and 4.65 in./12 cm) and carrying case.



Multi-Unit Power Adaptor  
Simultaneously charge  
5 detectors  
GA-PA-1-MC5  
\$75.00

<i>GasAlertMicroClip</i>		Order Number	Price(USD)
<b>4-gas</b>	%LEL, O <sub>2</sub> , H <sub>2</sub> S, CO	MC-XWHM-Y-NA-00	\$545.00
<b>3-gas</b>	%LEL, O <sub>2</sub> , H <sub>2</sub> S	MC-XWHO-Y-NA-00	\$470.00
	%LEL, O <sub>2</sub> , CO	MC-XW0M-Y-NA-00	\$470.00
<b>2-gas</b>	%LEL, O <sub>2</sub>	MC-XW00-Y-NA-00	\$395.00
	H <sub>2</sub> S, CO	MC-00HM-Y-NA-00	\$395.00

*Note: Black housing available at no additional charge*

<i>GasAlertMicroClip Confined Space Kits</i>		Order Number	Price(USD)
<b>4-gas</b>	%LEL, O <sub>2</sub> , H <sub>2</sub> S, CO	MC-XWHM-Y-NA-07	\$1,175.00
<b>3-gas</b>	%LEL, O <sub>2</sub> , H <sub>2</sub> S	MC-XWHO-Y-NA-10	\$1,100.00
	%LEL, O <sub>2</sub> , CO	MC-XW0M-Y-NA-16	\$1,100.00
<b>2-gas</b>	%LEL, O <sub>2</sub> ,	MC-XW00-Y-NA-22	\$1,025.00
	H <sub>2</sub> S, CO	MC-00HM-Y-NA-25	\$1,025.00

For orders outside North America, replace “-NA-” with:

<b>Region</b>	<b>-UK-</b>	United Kingdom	<b>-CN-</b>	China/New Zealand
	<b>-EU-</b>	Europe	<b>-OR-</b>	Other regions with 3-pin UK plug
	<b>-AU-</b>	Australia	<b>-OE-</b>	Other regions with 2-pin EU plug

<i>GasAlertMicroClip Sampler Paks</i>		Order Number	Price(USD)
GasAlertMicroClip SamplerPak	add suffix “-42”	add \$250.00 to price of detector alone	
	example: MC-XWHM-Y-NA-42	\$795.00	
GasAlertMicroClip SamplerPak with Charger/Battery Kit (GAMIC-C01-K)	add suffix “-43”	add \$290.00 to price of detector alone	
	example: MC-XWHM-Y-NA-43	\$835.00	
GasAlertMicroClip SamplerPak <b>Confined Space Kit</b>	add suffix “-08”	add \$780.00 to price of detector alone	
	example: MC-XWHM-Y-NA-08	\$1,325.00	

*Note: for a complete list of GasAlertMicroClip configurations consult the factory.*



**Confined Space Kit**  
with manual aspirator pump  
MC-XWHM-Y-NA-07  
\$1,175.00



**IR Connectivity Kit**  
for data download and  
instrument set-up options  
GA-USB1-IR  
\$50.00



**Replacement  
Charging Adaptor**  
MC-PA-1  
\$10.00



**Vehicle Charging Kit**  
12-Vdc vehicle charging adaptor  
GA-V-CHRG5  
\$25.00

# GasAlertMicroClip Accessories and Spares

GasAlertMicroClip	Order Number	Price(USD)
<b>Carrying Accessories and Options</b>		
Alligator Clip (stainless steel) replacement (standardly included with detector)	GA-AG-3	\$14.00
Neckstrap with safety release	GA-NS-1	\$10.00
Short Strap (6 in./ 15.2 cm)	GA-LY-1	\$5.00
Extension Strap (4 ft./ 1.2 m)	GA-ES-1	\$25.00
Arm Band	GA-ARM-1	\$25.00
Chest Harness	GA-CH-2	\$45.00
Confined Space Kit Carrying Case (empty) with foam for GasAlertMicroClip kit	MC-CK-CC1	\$120.00
GasAlertMicroClip Confined Space Kit without detector	MC-CK	\$695.00
<b>Miscellaneous Accessories and Spares</b>		
IR Connectivity Kit (including SoftTools)	GA-USB1-IR	\$50.00
Auxillary Filter Kit (complete with filter adaptor and 5 filters)	MC-AF-K1	\$20.00
Auxillary Filter Adaptor (no filters)	MC-AF-1	\$15.00
<b>Power Options and Spares</b>		
Power Adaptor, 12-24VDC direct-wire	GA-PA-3	\$35.00
Replacement Power Adaptor, North American plug type <i>Note: Specify plug/region version (-xx): United Kingdom (-UK), European (-EU), China/Australia (-CN)</i>	GA-PA-1	\$10.00
GA-PA-1 (-xx)		
Multi-unit Power Adaptor (for 5 detectors), North American plug type <i>Note: Specify plug/region version (-xx): United Kingdom (-UK), European (-EU), China/Australia (-CN)</i>	GA-PA-1-MC5	\$75.00
GA-PA-1-MC5 (-xx)		
Multi-unit Cradle Charger (for 5 detectors) (available June 2006) <i>Note: Specify plug/region version (-xx): United Kingdom (-UK), European (-EU), China/Australia (-CN)</i>	GA-C06-MC5	\$225.00
GA-C06-MC5 (-xx)		
Vehicle Power Adaptor Kit including vehicle mounting bracket	MC-VC-K1	\$35.00
Vehicle Power Adaptor only (no mounting kit)	GA-V-CHRG5	\$25.00
Vehicle/Wall Mounting Bracket for power adaptor	MC-MB-1	\$15.00
Replacement Auxillary Filters for Adaptor, kit of 10	MC-SS-AF-K1	\$15.00
<b>Sampling/Testing Equipment and Spares*</b>		
Replacement Test cap and hose (1 ft./0.3 m) for GasAlertMicroClip	MC-TC-1	\$10.00
Replacement FEP-Lined Tygon Tubing (5 ft./1.52 m)	M5-TYGON	\$15.00
MicroDock II Automatic Test and Calibration System—Base Station and GasAlertMicroClip Docking Module with charging cable <i>Note: for complete MicroDock II system configuration information, see MicroDock II section, page 42</i>	DOCK2-2-1C1L-00-N	\$1,545.00
GasAlertMicroClip MicroDock II Docking Module with charging cable <i>Note: for complete MicroDock II system configuration information, see MicroDock II section, page 42</i>	DOCK2-0-1C1L-00-N	\$550.00
GasAlertMicroClip MicroDock II Docking Module (for charging function a charging cable is required) <i>Note: for complete MicroDock II system configuration information, see MicroDock II section, page 42</i>	DOCK2-0-1L-00-N	\$500.00
Manual Aspirator Pump Kit with 1 ft./0.3 m probe	MC-AS01	\$75.00
Hydrophobic filter replacement with male connector for Aspirator Pump	D4-WT-1	\$9.00

\*Note: For sampling hoses and calibration gases, see Calibration Equipment section, page 52

GasAlertMicroClip	Order Number	Price(USD)
Sampling Hose (10 ft./3 m) with particulate filter for Aspirator Pump — for longer hose lengths: modify order number suffix and add unit cost to base cost (D4-HAS-10)	D4-HAS-10 D4-HAS-(##)	\$75.00 add \$2.50 / ft.
Sample Probe (1 ft./0.3 m) with particulate filters and hydrophobic barrier	GA-PROB1-1	\$30.00
Replacement Filter Kit for GA-PROB1-1 sample probe	GA-PROB-FIL-K1	\$10.00
Replacement Part Kit for GA-PROB1-1 sample probe	GA-PROB-RK1	\$22.00
Hydrophobic (water trap) Filters 1.0µm, kit of 20 for GA-PROB1-1 sample probe	GA-SFIL-K1	\$140.00
<b>SamplerPak - Kit, Accessories, Options and Spares</b>		
<i>SamplerPak</i> , motorized sampling pump portable kit - includes motorized pump, sampling tubes/probes with room for a detector in a hard-sided carrying case	GA-SPAK (-xx)	\$285.00
<i>Note: Specify plug/region version (-xx): United Kingdom (-UK), European (-EU), China/New Zealand (-CN), Australia (-AU), Switzerland (-CH)</i>		
Collapsible Sample Probe (3 ft./0.9 m) for Sampler	SP-CPROB1	\$65.00
Collapsible Sample Probe (14 ft./3.4 m) for Sampler	SP-CPROB1-14	\$115.00
Sampling Hose (10 ft./3 m) with quick connect and particulate filter for Sampler — for longer hose lengths: modify order number suffix and add unit cost to base cost (D4-HSP-10)	D4-HSP-10 D4-HSP-(##)	\$55.00 add \$2.50 / ft.
Sample Probe for Sampler - per ft./0.3 m (maximum 8 ft./2.4 m)	SP-T1-2	\$2.50 / ft.
Belt Holster for Sampler	GA-HSAMP	\$20.00
Replacement Sampler Pump Filters (white), kit 5	SP-PF-1	\$10.00
Replacement Airstone Water/Particulate Filter for Sampling Hoses	D4-PF-1	\$18.00
Replacement Short Sample Tube (4.65 in./11.8 cm) with barbed fitting	SP-T2-S	\$12.00
Replacement Medium Sample Tube (10.25 in./26 cm) with barbed fitting	SP-T2-M	\$15.00
Replacement Sampler motorized sampling pump for <i>SamplerPak</i> portable kits	GA-SP01	\$250.00
Replacement Sampler motorized sampling pump for <i>SamplerPak</i> portable kits (ATEX approved)	GA-SP02	\$250.00
Replacement Pump Gaskets for Sampler, kit of 5	SP-GK-1	\$10.00
Barbed Plastic Fitting for Sampler/Instrument Hose, kit of 5	SP-HF-1	\$10.00
Replacement Coiled Connector Tubing for Sampler	SP-CT-1	\$30.00
Replacement screws, kit of 10	M2437K	\$4.00
Replacement Carrying Case with foam for SamplerPak portable kits	SPAK-CC1	\$45.00
<b>Sensor Spares and Replacements</b>		
Quad Sensor Screen filters, kit of 2	MC-SS	\$15.00
Quad Sensor Screen filters, kit of 10	MC-SS-K1	\$72.00
Hydrogen Sulfide (H <sub>2</sub> S) MICROcel	SR-H-MC	\$100.00
Carbon Monoxide (CO) MICROcel	SR-M-MC	\$100.00
Oxygen (O <sub>2</sub> ) MICROcel	SR-X-MC	\$100.00
Combustibles (LEL) MICROcel	SR-W-MP	\$100.00
Dummy Sensor - Hydrogen Sulfide (H <sub>2</sub> S) / Carbon Monoxide (CO)	SR-TOX-MC-DUM	\$10.00
Dummy Sensor - Oxygen (O <sub>2</sub> )	SR-X-MC-DUM	\$10.00
Dummy Sensor - Combustible (LEL)	SR-W-MC-DUM	\$10.00

The *GasAlertMicro* offers advanced features at an economical price. Simultaneously displaying up to four of H<sub>2</sub>S, CO, O<sub>2</sub>, SO<sub>2</sub>, or combustibles, *GasAlertMicro* is suited to a wide range of applications, including HAZMAT response, confined space entry and post-inspection fire safety.

Field-selectable user options allow *GasAlertMicro* to be customized to virtually any environment. Calibration due dates and alarm settings can be configured to meet specific industry requirements, and the pass code protect function ensures tamper-proof operation by preventing unauthorized users from accessing calibration options.

## Features:

- Continuous LCD shows simultaneous gas concentrations for H<sub>2</sub>S, CO, O<sub>2</sub>, SO<sub>2</sub>, combustibles (0-100% LEL or 0-5.0% Methane)
- Compact (2.4 x 4.0 x 1.3 in / 6 x 10 x 3.3 cm) and lightweight (7.4 oz. / 211 g)
- Integral concussion-proof boot
- Powered by two AA alkaline or NiMH cells (run-time typically 16-18 hours)
- Provides 95 dB alarm tone and two bright wide-angled alarm bars
- Internal vibrating alarm
- Four alarm levels: Instant Low and High Alarm for all gases; TWA (time weighted average) and STEL (short term exposure limit) for H<sub>2</sub>S, CO, SO<sub>2</sub>; OL (over limit alarm) for combustible gases
- Simple automatic calibration procedure; compatible with *BW MicroDock II* Automatic Test and Calibration System
- Records TWA, STEL and maximum exposures to gas and displays readings on command
- User selectable field options include: confidence beep, pass code protection, latching alarm, calibration due date, "SAFE" display function, stealth mode and span levels
- Full function self-test of: sensor, battery and circuitry integrity; and audible/visual alarms
- Two year warranty; including sensors

*MicroDock II*  
Automatic Test and  
Calibration Station  
(see page 42)



ACTUAL SIZE

## Packaging Contents:

The *GasAlertMicro* comes complete with:

**Standard Versions:** safety yellow instrument with integral concussion-proof boot, two AA alkaline batteries, sensors, calibration hose, calibration cap, stainless steel alligator clip and instructions (standard).

**Datalogging Versions:** installed 32 MB MMC Card and free data management software.

**Power Options (includes selected *GasAlertMicro* and standard accessories):**

*With rechargeable batteries and battery charger (-E or -E2) includes four AA NiMH rechargeable batteries and a 4-port 110 VAC battery charger (battery/charger kit GAMIC-BAT-K).*

*With GA MicroBatt cradle charger rechargeable battery pack and (-E3) includes four AA NiMH rechargeable batteries and a 4-port 110 VAC battery charger (battery/charger kit GAMIC-BAT-K).*

*With GA MicroBatt Vehicle Charger and rechargeable battery pack (-E4) includes installed rechargeable battery pack and vehicle charger (battery/charger kit).*

*With *GasAlertMicro* Charger II and rechargeable battery pack (-E5) or with high-capacity rechargeable battery pack (-E6) includes installed rechargeable battery pack and *GasAlertMicro* Charger II charging station.*

*With *GasAlertMicro* Charger 3 and high-capacity rechargeable battery pack (-E7) includes installed rechargeable battery pack and dual cradle charger.*

## Quick Pick Guide

for the most commonly ordered units

		Standard	Datalogging (insert code -DL2-IR in order number after gas code) e.g. GAMIC-4-DL2-IR GAMIC-3H-DL2-IR-E3
	GasAlertMicro	Order Number	Price(USD)
4 gas detectors	Combustibles (% LEL), Oxygen (O <sub>2</sub> ), Carbon Monoxide (CO), Hydrogen Sulfide (H <sub>2</sub> S)		
	with 2 AA alkaline batteries	GAMIC-4	\$695.00
	with 4 AA rechargeable batteries	GAMIC-4-D	\$715.00
	with NiMH rechargeable battery pack	GAMIC-4-D3	\$745.00
	with 4 AA rechargeable batteries and 4-port charger	GAMIC-4-E	\$735.00
	with rechargeable battery pack and GA MicroBatt cradle charger	GAMIC-4-E3	\$825.00
	with rechargeable battery pack and GA MicroBatt vehicle charger	GAMIC-4-E4	\$865.00
	with rechargeable battery pack and GasAlertMicro Charger II charging station	GAMIC-4-E5	\$825.00
	with rechargeable high-capacity battery pack and GasAlertMicro Charger II charging station	GAMIC-4-E6	\$855.00
	with rechargeable high-capacity battery pack and GasAlertMicro Charger 3 dual cradle charger	GAMIC-4-E7	\$945.00
3 gas detectors	Stealth model with 2 AA alkaline batteries	GAMIC-4B-ST	\$695.00
	LEL, O <sub>2</sub> and H <sub>2</sub> S	GAMIC-3H	\$625.00
	LEL, O <sub>2</sub> and H <sub>2</sub> S with rechargeable battery pack and GA MicroBatt cradle charger	GAMIC-3H-E7	\$875.00
	LEL, O <sub>2</sub> and CO	GAMIC-3M	\$625.00
	LEL, O <sub>2</sub> and CO with rechargeable battery pack and GA MicroBatt cradle charger	GAMIC-3M-E7	\$875.00
	LEL, O <sub>2</sub> and SO <sub>2</sub>	GAMIC-3S	\$695.00
2 gas detectors	O <sub>2</sub> , CO and H <sub>2</sub> S	GAMIC-3X	\$640.00
	LEL and O <sub>2</sub>	GAMIC-2	\$545.00
	LEL and O <sub>2</sub> with rechargeable battery pack and GA MicroBatt cradle charger	GAMIC-2-E7	\$795.00
	LEL and CO	GAMIC-2MW	\$595.00
	LEL and H <sub>2</sub> S	GAMIC-2HW	\$595.00
	CO and H <sub>2</sub> S	GAMIC-2HM	\$610.00
Region	O <sub>2</sub> and H <sub>2</sub> S	GAMIC-2HX	\$570.00
	O <sub>2</sub> and CO	GAMIC-2MX	\$570.00
	See configurator for a complete list of options		
	add suffix "-UK"	United Kingdom	add suffix "-CN"
	add suffix "-EU"	Europe	China/New Zealand
	add suffix "-AU"	Australia	add suffix "-CH"
	no suffix	North America	Switzerland
			Other Region with 3-pin UK plug
			Other Region with 2-pin EU plug

Note: black housing available at no additional charge (see configurator)

# GasAlertMicro (cont'd)

GasAlertMicro SamplerPak Kits		Price(USD)
GasAlertMicro SamplerPak	Add Suffix "-SK"	add \$250.00 to price of detector alone
example:	GAMIC-4-SK	\$945.00
	GAMIC-4-DL2-IR-SK	\$1,045.00
GasAlertMicro SamplerPak with Charger/ Battery Kit (GAMIC-C01-K)	Add Suffix "-SKC"	add \$290.00 to price of detector alone
example:	GAMIC-4-SKC	\$985.00
	GAMIC-4-DL2-IR-SKC	\$1,085.00
Region	add suffix "-UK"	United Kingdom
	add suffix "-CN"	China/New Zealand
	add suffix "-EU"	Europe
	add suffix "-CH"	Switzerland
Region	add suffix "-AU"	Australia
	add suffix "-OR"	Other Region with 3-pin UK plug
Region	no suffix	North America
	add suffix "-OE"	Other Region with 2-pin EU plug

## Kit Contents:

**SamplerPak Kits:** Includes GasAlertMicro with standard accessories and the SamplerPak. The SamplerPak includes the Sampler (external motorized sampling pump), sampling hose with airstone filter (10 ft./3 m), coiled connector hose (3 ft./0.9 m), two sampling tubes (10.25 inches/26cm and 4.65 inches/12cm) and carrying case.



GasAlertMicro SamplerPak with Charger/Battery Kit  
GAMIC-4-SKC  
\$985.00

## GasAlertMicro Confined Space Kits

GasAlertMicro Confined Space Kit with manual aspirator pump	Add Suffix "-CK"	add \$500.00 to price of detector alone
example:	GAMIC-4-CK	\$1,195.00
	GAMIC-4-CK2-IR	\$1,295.00
GasAlertMicro Confined Space Kit with Sampler motorized sampling pump	Add Suffix "-CK-SP"	add \$650.00 to price of detector alone
example:	GAMIC-4-CK-SP	\$1,345.00
	GAMIC-4-CK2-IR-SP	\$1,445.00
Region	add suffix "-UK"	United Kingdom
	add suffix "-CN"	China/New Zealand
	add suffix "-EU"	Europe
	add suffix "-CH"	Switzerland
Region	add suffix "-AU"	Australia
	add suffix "-OR"	Other Region with 3-pin UK plug
Region	no suffix	North America
	add suffix "-OE"	Other Region with 2-pin EU plug

## Kit Contents:

**Confined Space Kits:** Value-added Confined Space Kits include GasAlertMicro detector and standard accessories plus 4-port charger, 4 NiMH rechargeable batteries (or rechargeable battery and charger pack), 10 ft./3 m sampling hose, quad calibration gas (34 L cylinder) and regulator in a rugged hard sided carrying case.




GasAlertMicro Confined Space Kit with manual aspirator pump  
GAMIC-4-CK  
\$1,195.00



GasAlertMicro Confined Space Kit with Sampler motorized pump  
GAMIC-4-CK-SP  
\$1,345.00

# GasAlertMicro 4 - order and pricing configurator



\$ + \$0 + \$ + \$ + \$0 + \$ = Total(USD)

[www.gasmotors.com](http://www.gasmotors.com)

**BW**  
Technologies  
by Honeywell

# GasAlertMicro Accessories and Spares

GasAlertMicro	Order Number	Price(USD)
<b>Carrying Options and Accessories</b>		
Nylon Case	GAMIC-NC-1	\$30.00
Leather Case with neckstrap	GAMIC-LC-1	\$25.00
Belt Holster for GasAlertMicro	GA-HMIC	\$15.00
Belt Holster for GasAlertMicro and Sampler (motorized sampling pump)	GA-HMIC-SP	\$30.00
Alligator Clip (stainless steel) replacement (standardly included with detector)	GAMIC-AG2	\$14.00
Neckstrap with safety release	GA-NS-1	\$10.00
Short Strap (6 in./ 15.2 cm)	GA-LY-1	\$5.00
Extension Strap (4 ft./ 1.2 m)	GA-ES-1	\$25.00
Arm Band	GA-ARM-1	\$25.00
Chest Harness	GA-CH-2	\$45.00
Carrying Case with foam for GasAlertMicro Confined Space Kits	GAMIC-CK-CC1	\$105.00
GasAlertMicro Confined Space Kit without detector	GAMIC-CK	\$450.00
<b>Power - Rechargeable Battery Pack Options and Spares</b>		
Rechargeable Battery Pack	GAMIC-BAT-03	\$50.00
Rechargeable Battery Pack, high capacity	GAMIC-BAT02-03	\$60.00
GA MicroBatt Cradle Charger	GAMIC-C03	\$100.00
<small>Note: Specify plug/region version (-xx): United Kingdom (-UK), European (-EU), China/Australia (-AU), Switzerland (-CH)</small>	GAMIC-C03 (-xx)	
GA MicroBatt Kit (cradle charger / rechargeable battery pack)	GAMIC-C03-K	\$140.00
<small>Note: Specify plug/region version (-xx): United Kingdom (-UK), European (-EU), China/Australia (-AU), Switzerland (-CH)</small>	GAMIC-C03-K (-xx)	
GA MicroBatt Vehicle Cradle Charger	GAMIC-C03-VC	\$150.00
GA MicroBatt Vehicle Kit (vehicle cradle charger / rechargeable battery pack)	GAMIC-C03-K-VC	\$180.00
GA MicroBatt Mounting Bracket for vehicle cradle charger	GAMIC-C03-VMB	\$30.00
GA MicroBatt Vehicle Adaptor Cable for cradle charger	GAMIC-V-CHRG2	\$25.00
Replacement Cable (6 ft.7in./ 2.5m) for the GA MicroBatt Cradle Charger	GAMIC-C03-RC	\$7.00
<small>Note: Specify plug/region version (-xx): United Kingdom (-UK), European (-EU), China/Australia (-AU), Switzerland (-CH)</small>	GAMIC-C03-RC (-xx)	
Replacement Transformer for the GA MicroBatt Cradle Charger	GAMIC-C03-RT	\$30.00
<small>Note: Specify plug/region version (-xx): United Kingdom (-UK), European (-EU), China/Australia (-AU), Switzerland (-CH)</small>	GAMIC-C03-RT (-xx)	



*Chest Harness*  
GA-CH-2  
\$45.00



*Arm Band*  
GA-ARM-1  
\$25.00



*MMC USB Reader*  
CR-MMC-USB1  
\$55.00

GasAlertMicro	Order Number	Price(USD)
GasAlertMicro Charger II - for 1 rechargeable battery pack  <i>Note: Specify plug/region version (-xx): United Kingdom (-UK), European (-EU), China/Australia (-AU), Switzerland (-CH)</i>	GAMIC-C05 GAMIC-C05 (-xx)	\$120.00
GasAlertMicro Charger II - for 5 rechargeable battery packs  <i>Note: Specify plug/region version (-xx): United Kingdom (-UK), European (-EU), China/Australia (-AU), Switzerland (-CH)</i>	GAMIC-C05-MC5 GAMIC-C03-MC5 (-xx)	\$500.00
GasAlertMicro Charger II Kit - charger / rechargeable battery pack  <i>Note: Specify plug/region version (-xx): United Kingdom (-UK), European (-EU), China/Australia (-AU), Switzerland (-CH)</i>	GAMIC-C05-K GAMIC-C05-K (-xx)	\$140.00
GasAlertMicro Charger 3 - dual cradle charger (available June 2006)  <i>Note: Specify plug/region version (-xx): United Kingdom (-UK), European (-EU), China/Australia (-AU), Switzerland (-CH)</i>	GAMIC-C07-03 GAMIC-C07-03 (-xx)	\$200.00
GasAlertMicro Charger 3 Kit (dual cradle charger / rechargeable battery pack) (available June 2006)  <i>Note: Specify plug/region version (-xx): United Kingdom (-UK), European (-EU), China/Australia (-AU), Switzerland (-CH)</i>	GAMIC-C07-03-K GAMIC-C07-03-K (-xx)	\$250.00
GasAlertMicro Charger 3 Vehicle Cradle Charger (available June 2006)	GAMIC-C07-03-VC	TBD
GasAlertMicro Charger 3 Vehicle Kit (vehicle cradle charger / rechargeable battery pack) (available June 2006)	GAMIC-C07-03-K-VC	TBD
<b>Power - Rechargeable AA Battery Options and Spares</b>		
Rechargeable AA NiMH Batteries (1800 mAh), kit of 4 (not applicable in Europe)	GAMIC-BAT-K	\$20.00
Rechargeable AA NiMH Batteries (1600 mAh), kit of 4	GAMIC-BAT-K2	\$20.00
Rechargeable AA NiMH Kit - 4-port charger (110 VAC) / 4 rechargeable AA NiMH batteries (1800 mAh) (not applicable for Europe)  <i>Note: Specify plug/region version (-xx): United Kingdom (-UK), European (-EU), China/Australia (-AU), Switzerland (-CH)</i>	GAMIC-C01-K GAMIC-C01-K (-xx)	\$40.00
Rechargeable AA NiMH Kit - 4-port charger (110 VAC) / 4 rechargeable AA NiMH batteries (1600 mAh)  <i>Note: Specify plug/region version (-xx): United Kingdom (-UK), European (-EU), China/Australia (-AU), Switzerland (-CH)</i>	GAMIC-C01-K2 GAMIC-C01-K2 (-xx)	\$40.00
Rechargeable AA NiMH Vehicle Kit - 4-port charger (12 V) / 4 AA NiMH rechargeable batteries	GAMIC-V-CHRG1	\$40.00
Rechargeable AA NiMH SMART Charger - 10-port charger (220 VAC)  <i>Note: Specify plug/region version (-xx): United Kingdom (-UK), European (-EU), China/Australia (-AU), Switzerland (-CH)</i>	GAMIC-C02 GAMIC-C02 (-xx)	\$40.00
<b>Datalogging Accessories and Options</b>		
MultiMediaCard (MMC) 32 MB	MMC32	\$25.00
MultiMediaCard (MMC) 64 MB	MMC64	\$80.00
MMC USB Reader (USB Port) for MMC cards	CR-MMC-USB1	\$55.00

#### Charging Options:



*GA MicroBatt Charger*  
Cradle charger with  
rechargeable battery pack  
GAMIC-C03-K  
\$140.00



*GasAlertMicro Charger II*  
with rechargeable battery pack  
(multiple charger banks available)  
GAMIC-C05-K  
\$140.00



*GasAlertMicro Charger 3*  
Dual charger with rechargeable  
battery pack  
GAMIC-C07-03-K  
\$250.00

# GasAlertMicro Accessories and Spares

GasAlertMicro	Order Number	Price(USD)
<b>Sampling/Testing Equipment and Spares</b>		
Test cap (dual barb) with hose (1.5 ft./0.5 m)—standard	GAMIC-TC-1	\$10.00
Test cap (single barb) with hose (1.5 ft./0.5 m)—for use with manual aspirator pump	GAMIC-TC-2	\$10.00
<i>MicroDock II Automatic Test and Calibration System—Base Station and GasAlertMicro Docking Module (charging) with charging cable</i> <i>Note: for complete MicroDock II system configuration information, see MicroDock II section, page 42</i>	DOCK2-2-1B1C-00-N	\$1,645.00
<i>MicroDock II Automatic Test and Calibration System—Base Station and GasAlertMicro Docking Module (non-charging)</i> <i>Note: for complete MicroDock II system configuration information, see MicroDock II section, page 42</i>	DOCK2-2-1A-00-N	\$1,495.00
<i>GasAlertMicro MicroDock II Docking Module (charging)</i> <i>Note: for complete MicroDock II system configuration information, see MicroDock II section, page 42</i>	DOCK2-0-1B-00-N	\$600.00
<i>GasAlertMicro MicroDock II Docking Module (non-charging)</i> <i>Note: for complete MicroDock II system configuration information, see MicroDock II section, page 42</i>	DOCK2-0-1A-00-N	\$500.00
Manual Aspirator Pump Kit with 1 ft./0.3 m probe	GA-AS02	\$79.00
Hydrophobic filter replacement with male connector for Aspirator Pump	D4-WT-1	\$9.00
Sampling Hose (10 ft./3 m) with particulate filter for Aspirator Pump — for longer hose lengths: modify order number suffix and add unit cost to base cost (D4-HAS-10)	D4-HAS-10 D4-HAS-(##)	\$75.00 add \$2.50 / ft.
Sample Probe (1 ft./0.3 m) with particulate filters and hydrophobic barrier	GA-PROB1-1	\$30.00
Replacement Filter Fit for GA-PROB1-1	GA-PROB-FIL-K1	\$10.00
Replacement Part Kit for GA-PROB1-1	GA-PROB-RK1	\$22.00
Hydrophobic (watertrap) Filter 1.0µm, kit of 20	GA-SFIL-K1	\$140.00
Telescopic Sample Probe (7.9 ft./2.4 m) for GasAlert series	GA-TPROB7	\$120.00
Sampling Float for GasAlert series detectors	GA-FLOAT	\$55.00
Airstone Water/Particulate Filter for sampling hoses	D4-PF-1	\$18.00
<b>SamplerPak - Kit, Accessories, Options and Spares</b>		
<i>SamplerPak, motorized sampling pump portable kit - includes motorized pump, sampling tubes/probes with room for a detector in a hard-sided carrying case</i> <i>Note: Specify plug/region version (-xx): United Kingdom (-UK), European (-EU), China/New Zealand (-CN), Australia (-AU), Switzerland (-CH)</i>	GA-SPAK (-xx)	\$285.00
Collapsible Sample Probe (3 ft./0.9 m) for Sampler	SP-CPROB1	\$65.00
Collapsible Sample Probe (14 ft./3.4 m) for Sampler	SP-CPROB1-14	\$115.00



Interactive Training CD  
GA-CDT2



**SamplerPak**

Motorized sampling pump kit comes with pump, sampling hose with airstone filter, coiled connector hose, two sampling tubes and a carrying case.

GA-SPAK

\$285.00


with 4-gas

detector:

GAMIC-4-SK

\$945.00

GasAlertMicro	Order Number	Price(USD)
Sampling Hose (10 ft./3 m) with quick connect and particulate filter for Sampler — for longer hose lengths: modify order number suffix and add unit cost to base cost (D4-HSP-10)	D4-HSP-10 D4-HSP-(##)	\$55.00 add \$2.50 / ft.
Sample Probe for Sampler - per ft./0.3m (maximum 8 ft./2.4m)	SP-T1-2	\$2.50 / ft.
Belt Holster for Sampler	GA-HSAMP	\$20.00
Replacement Sampler Pump Filters (white), kit 5	SP-PF-1	\$10.00
Replacement Airstone Water/Particulate Filter for Sampling Hoses	D4-PF-1	\$18.00
Replacement Short Sample Tube (4.65 in./11.8 cm) with barbed fitting	SP-T2-S	\$12.00
Replacement Medium Sample Tube (10.25 in./26 cm) with barbed fitting	SP-T2-M	\$15.00
Replacement Sampler motorized sampling pump for <i>SamplerPak</i> portable kits	GA-SP01	\$250.00
Replacement Sampler motorized sampling pump for <i>SamplerPak</i> portable kits (ATEX approved)	GA-SP02	\$250.00
Replacement Pump Gaskets for Sampler, kit of 5	SP-GK-1	\$10.00
Barbed Plastic Fitting for Sampler/Instrument Hose, kit of 5	SP-HF-1	\$10.00
Replacement Coiled Connector Tubing for Sampler	SP-CT-1	\$30.00
Replacement screws, kit of 10	M2437K	\$4.00
Replacement Carrying Case with foam for SamplerPak portable kits	SPAK-CC1	\$45.00
<b><i>Instructional Materials</i></b>		
Interactive Training CD-ROM - GasAlertMicro	GA-CDT2	\$5.00
Training Video on CD-ROM - GasAlert Series	GA-CDT	\$5.00
GasAlertMicro and Sampler CD-ROM - Multi-language Instructions and Training Video	GAMIC-CDM	\$5.00
<b><i>Sensor Spares and Replacements</i></b>		
Triple sensor filter replacements, kit of 2	GAMIC-SS	\$15.00
Twin Tox Sensor - Carbon Monoxide (CO) and Hydrogen Sulfide (H2S)	D4-RHM04	\$295.00
Hydrogen Sulfide (H2S) Sensor	PS-RH04S	\$210.00
Hydrogen Sulfide (H2S) Sensor, methanol resistant	SR-H204	\$210.00
Carbon Monoxide (CO) Sensor	PS-RM04	\$220.00
Oxygen (O2) 2 year Sensor	SR-X10	\$135.00
Sulfur Dioxide (SO2) Sensor	PS-RS04	\$297.00
Combustible (0-100% LEL) Sensor (standard) *	SR-W04	\$175.00
Combustible (0-100% LEL) Sensor (with heavy duty silicone filter) *	SR-W04-SF	\$195.00
* <b>Advisory:</b> Detectors are equipped on a standard basis with SR-W04 combustible sensors. The SR-W04 combustible sensor replaces the older D4-RW90 sensor. The D4-RW90 sensor included a heavy duty silicone filter that is not necessary for most monitoring applications. The SR-W04-SF sensor is a special application combustible sensor that includes a silicone filter. The SR-W04-SF should only be specified when the environment to be monitored includes known sources of silicone or silicon containing vapors. The SR-W04-SF silicone filter equipped sensor should not be used when monitoring diesel, kerosene, jet fuel or other heavy hydrocarbon vapors with flashpoint temperatures above 38°C (100°F).		
Dummy Sensor (for GasAlertMicro 2-gas versions) TwinTox or Oxygen	SR-TOX-DUM	\$25.00



ACTUAL SIZE

## Packaging Contents:

The standard *GasAlertMax* comes complete with:

**Standard Versions:** Complete with 110-220 VAC charger, NiMH rechargeable VersaPak battery, carrying holster, sensors, internal motorized sampling pump, 10 ft./3m sampling hose, calibration hose, filter kit and instructions. Two year warranty including sensors.

## Datalogging Versions:

*Black Box GasAlertMax* is able to record 4.4 months of data storage (typical) before download.

*User-Downloadable GasAlertMax* includes removable 32MB MMC card and software.

**Confined Space Kits:** Includes *GasAlertMax* and standard accessories plus concussion-proof boot, intake umbrella protector, additional NiMH battery, quad calibration gas (34L cylinder) and regulator; all in a rugged carrying case.

*GasAlertMax* provides extraordinary cost of ownership advantages. Training and maintenance costs are minimized through automated calibration, internal plug-in sampling pump, long-life VersaPak™ battery power (available in local stores) and simple, one-button control. It is powered by two advanced microcontrollers and features plug-in electrochemical and catalytic sensors. The large alphanumeric LCD shows real-time gas concentrations and the instrument's status at all times. A full-function self-test verifies sensor, circuitry and battery integrity and activates the audible/visual alarms each time the detector is activated. *GasAlertMax* clearly advises the hazard present—Low, High, TWA and STEL multi-gas alarm.

## Features:

- Large LCD shows real-time gas concentrations of H<sub>2</sub>S, CO, O<sub>2</sub> and %LEL
- Internal plug-in pump for remote sampling
- LOW, HIGH, TWA and STEL alarms with adjustable setpoints
- Equipped with plug-in, replaceable sensors
- Simple, automatic calibration procedure; calibration due date; span level
- Provides 95 dB tone and bright LED indication on alarm
- Compact (1.6 x 3.0 x 5.9 in./40 x 75 x 150 mm) and lightweight (15.4 oz./396 g)
- Runs an entire shift on one Black & Decker VersaPak™ rechargeable battery (available worldwide)
- Peak values displayed on command
- Full-function self-test of: sensor/battery/ circuitry integrity; and audible/visual alarms
- One VersaPak rechargeable battery, 2-port charger, 10 ft. / 3 m. sampling hose, calibration hose, carrying holster, and instructions in local languages included
- Vibrating alarm and remote audible/visual alarm (110 dB) accessories available
- Two year warranty; including sensors



GasAlertMax	Order Number	Standard	Black Box Datalogging (add suffix -DL1 to order number e.g. GAMAX3-4-DL1)	User- Downloadable Datalogging (add suffix -DL2 to order number e.g. GAMAX3-4-DL2)
<b>4-gas detector</b>				
Combustibles (% LEL), Oxygen (O <sub>2</sub> ), Carbon Monoxide (CO), Hydrogen Sulfide (H <sub>2</sub> S)	GAMAX3-4	\$1,095.00	\$1,295.00	\$1,295.00
<b>3-gas detector</b>				
Combustibles (% LEL), Oxygen (O <sub>2</sub> ), Hydrogen Sulfide (H <sub>2</sub> S)	GAMAX3-3H	\$1,025.00	\$1,225.00	\$1,225.00
<b>2-gas detector</b>				
Combustibles (% LEL), Oxygen (O <sub>2</sub> )	GAMAX3-2	\$945.00	\$1,145.00	\$1,145.00
Combustibles (% LEL), Carbon Monoxide (CO)	GAMAX3-2MW	\$995.00	\$1,195.00	\$1,195.00
GasAlertMax Confined Space Kits	Order Number	Standard	Black Box Datalogging (add 1 to "CK" suffix e.g. GAMAX3-4-CK1)	User- Downloadable Datalogging (add 2 to "CK" suffix e.g. GAMAX3-4-CK2)
<b>Confined space kit with 4-gas detector</b>				
Combustibles (% LEL), Oxygen (O <sub>2</sub> ), Carbon Monoxide (CO), Hydrogen Sulfide (H <sub>2</sub> S)	GAMAX3-4-CK	\$1,370.00	\$1,570.00	\$1,570.00
<b>Confined space kit with 3-gas detector</b>				
Combustibles (% LEL), Oxygen (O <sub>2</sub> ), Hydrogen Sulfide (H <sub>2</sub> S)	GAMAX3-3H-CK	\$1,300.00	\$1,500.00	\$1,500.00
<b>Confined space kit with 2-gas detector</b>				
Combustibles (% LEL), Oxygen (O <sub>2</sub> )	GAMAX3-2-CK	\$1,220.00	\$1,420.00	\$1,420.00
For either GasAlertMax or Confined Space Kit with alternative plug type:				
United Kingdom, 220 VAC charger	Add Suffix "-UK"	no charge		
Europe, 220 VAC charger	Add Suffix "-EU"	no charge		
Australia, 220 VAC charger	Add Suffix "-AU"	no charge		
China/New Zealand, 220 VAC charger	Add Suffix "-CN"	no charge		
Other Region kit, with 220 VAC charger and 3-pin UK plug	Add Suffix "-OR"	no charge		
Other Region kit, with 220 VAC charger and 2-pin EU plug	Add Suffix "-OE"	no charge		
Shipped without batteries or charger	Add Suffix "-A"	deduct (\$25.00)		

# GasAlertMax Accessories and Spares

GasAlertMax	Order Number	Price(USD)
<b>Carrying Accessories and Options</b>		
Concussion-proof Boot with alligator clip (non-conductive)	GA-BMAX	\$50.00
Concussion-proof Boot with alligator clip (stainless steel)	GA-BMAX-2	\$52.00
Concussion-proof Boot with neck strap	GA-BMAX-3	\$60.00
Concussion-proof Boot with harness	GA-BMAX-4	\$70.00
Concussion-proof Boot with harness and alligator clip (non-conductive)	GA-BMAX-5	\$82.00
Concussion-proof Boot with neck strap and alligator clip (non-conductive)	GA-BMAX-6	\$60.00
Concussion-proof Boot with magnetic backing	GA-BMAX-7	\$50.00
Concussion-proof Boot with neckstrap, alligator clip (stainless steel)	GA-BMAX-8	\$62.00
Wrist Strap, nylon for GA-BMAX concussion-proof boots	GA-WS-2	\$7.00
Neckstrap with safety release for Concussion-proof Boot	GA-NS-1	\$10.00
Chest Harness	GA-CH-2	\$45.00
GasAlertMax Confined Space Kit without detector	GAMAX-CK	\$325.00
<b>Power Options and Spares</b>		
Rechargeable Battery - VersaPak NiMH	GA-VP110	\$31.00
Rechargeable Battery - VersaPak NiCd	D4-VP100	\$24.00
Charger - 2-port (110 VAC) for VersaPak batteries, North American version	D4-VP130	\$40.00
Charger - 2-port (220 VAC) for VersaPak batteries	D4-VP130-(xx)	\$40.00
<i>Note: Specify plug/region version (xx): United Kingdom (-UK), European (-EU), China/New Zealand (-CN), Australia (-AU)</i>		
Vehicle Charger - 2-port (12 V) for VersaPak batteries	V-CHRG1	\$85.00
<b>Datalogging Accessories and Spares</b>		
MultiMediaCard (MMC) 32 MB	MMC32	\$25.00
MultiMediaCard (MMC) 64 MB	MMC64	\$80.00
MMC USB Reader (USB Port) for MMC cards	CR-MMC-USB1	\$55.00
Datalock Security Door extras for user-downloadable datalogger versions, kit of 10	DOOR1-K10	\$13.00
<b>Sampling/Testing Equipment and Spares</b>		
Sampling Hose (10 ft./3 m) with quick connect and particulate filter — to specify longer hose length, add to base price of D4-HSP-10	D4-HSP-10 D4-HSP-(##)	\$55.00 add \$2.50 / ft.
Sample Probe (1 ft./0.3 m) with particulate filters and hydrophobic barrier	GA-PROB1-1	\$30.00
Replacement Filter Kit for GA-PROB1-1 sample probe	GA-PROB-FIL-K1	\$10.00
Replacement Part Kit for GA-PROB1-1 sample probe	GA-PROB-RK1	\$22.00
Hydrophobic (water trap) Filters 1.0µm, kit of 20 for GA-PROB1-1 sample probe	GA-SFIL-K1	\$140.00
Telescopic Sample Probe (7.9 ft./2.4 m) for GasAlert series	GA-TPROB7	\$120.00
Collapsible Sample Probe with handle (3.3 ft./1 m)	GA-CPROB1	\$50.00
Collapsible Sample Probe with handle (6 ft./1.8 m)	GA-CPROB2	\$60.00

GasAlertMax	Order Number	Price(USD)
Search Probe (1 ft./0.3 m) with handle and quick connect	D4-PROB1	\$105.00
Search Probe (3 ft./0.9 m) with handle and quick connect	D4-PROB3	\$120.00
Search Probe (6 ft./1.8 m) with handle and quick connect	D4-PROB6	\$135.00
Sampling Float for GasAlert series detectors	GA-FLOAT	\$55.00
Intake Umbrella Protector	GAMAX-IU	\$3.50
Water Trap, 300 mm/6 inch with 1/8 inch barbed connectors	WT-2	\$66.00
Dilution Tube (dilutes gas sample with air) (1:1)	M1858K	\$50.00
Pump Filter, kit of 5	GA-PFMAX	\$10.00
Pump Filter, kit of 100	GA-PFMAX-100	\$50.00
Replacement Pump	GA-RPMAX	\$175.00
Quick Connector Spares for Sampling Pump Hose (D4-HSP-10), kit of 2	M0931K	\$25.00
Airstone Water/Particulate Filter for sampling hoses	D4-PF-1	\$18.00
<b>Instructional Materials</b>		
Training Video on CD-ROM	GA-CDT	\$5.00
<b>Sensor Spares and Replacements</b>		
Twin Tox Sensor - Carbon Monoxide (CO) and Hydrogen Sulfide (H2S)	D4-RHM04	\$295.00
Hydrogen Sulfide (H2S) Sensor	PS-RH04S	\$210.00
Hydrogen Sulfide (H2S) Sensor, methanol resistant	SR-H204	\$210.00
Combustible (0-100% LEL) Sensor (standard)	SR-W04	\$175.00
Combustible (0-100% LEL) Sensor (with heavy duty silicone filter)	SR-W04-SF	\$195.00
<b>Advisory:</b> Detectors are equipped on a standard basis with SR-W04 combustible sensors. The SR-W04 combustible sensor replaces the older D4-RW90 sensor. The D4-RW90 sensor included a heavy duty silicone filter that is not necessary for most monitoring applications. The SR-W04-SF sensor is a special application combustible sensor that includes a silicone filter. The SR-W04-SF should only be specified when the environment to be monitored includes known sources of silicone or silicon containing vapors. The SR-W04-SF silicone filter equipped sensor should not be used when monitoring diesel, kerosene, jet fuel or other heavy hydrocarbon vapors with flashpoint temperatures above 38°C (100°F).		
Oxygen (O2) 2 year Sensor	SR-X10	\$135.00
Oxygen (O2) 1 year Sensor (compatible with older models: GA-MAX-4)	D4-RX06	\$125.00



*Collapsible Sample Probe*  
with handle (3.3 ft. / 1m)  
GA-CPROB1  
\$50.00



*Concussion-proof boot*  
with alligator clip (non-conductive)  
(also available with harness, neck strap  
and magnetic backing)  
GA-BMAX  
\$50.00

*VersaPak™ Battery Charger*  
2-port (110 V) for VersaPak™ batteries  
D4-VP130  
\$40.00



*VersaPak™ Battery*  
NiMH rechargeable battery  
GA-VP110  
\$31.00



Water  
Resistant

GasAlertMicro 5 portable gas detector simultaneously monitors and displays up to five potential atmospheric hazards including O<sub>2</sub>, LEL and a range of toxic gases. Compact and lightweight, GasAlertMicro 5 comes housed in IP66 concussion-proof enclosure. Audible, visual and vibrator alarms activate in the event of a low, high, TWA or STEL alarm condition. An optional motorized pump is available for remote sampling. Beyond features that come standard with BW portable instruments such as confidence beep, full function self test, automatic calibration and passcode protection, GasAlertMicro 5 offers an extended selection of user-settable field options including: stealth mode, backlight options, selectable ppm resolution, STEL / TWA measurement choice, combustible correction factors, user-settable calibration gas concentrations and multi-language support.

## Features:

- Compact (5.7 x 2.9 x 1.5 in. / 14.5 x 7.4 x 3.8 cm) and lightweight (13.1 oz. / 370 g)
- Rugged, highly water-resistant design
- Continuous LCD shows simultaneous gas concentrations for up to five gases
- Integral concussion-proof enclosure for the most rugged environments
- Integral motorized pump option for remote sampling (optional)
- Two power options: three AA alkaline batteries or a rechargeable battery pack
- Provides 95 dB alarm tone (typical), two bright wide-angled alarm bars and internal vibrating alarm for high noise areas
- Multi-language support in English, French, German, Spanish and Portuguese
- Four alarm levels: instantaneous Low and High Alarm for all gases; TWA (time weighted average) and STEL (short term exposure limit) for toxic gases
- Simple automatic calibration procedure; compatible with BW *MicroDock II* system
- Records TWA, STEL and maximum exposures to gas and displays readings on command
- User selectable field options include: confidence beep, pass code protection, latching alarm, "SAFE" display function, stealth mode, span level, selectable ppm resolution for some gases (e.g. SO<sub>2</sub> 0.1 ppm)
- Full function self-test of: sensor, battery and circuit integrity; and audible/visual alarms
- Two year warranty including sensors (NH<sub>3</sub> sensor - one year)

## Packaging Contents:

**Standard Versions:** Complete with monitor and sensors (as specified), sensor compartment cover for diffusion operation, calibration adaptor and hose, quick reference guide, interactive training and technical documentation CD, integral concussion-proof boot and 3 AA alkaline batteries.

**Rechargeable Battery Pack Versions:** Includes standard version contents plus sealed rechargeable nickel-metal hydride (NiMH) battery pack and slip-in charger cradle with 120 / 230 VAC AC/DC adaptor.

**Motorized Pump Units:** Include standard version contents plus motorized pump and cover (installed), 12 in. / 30 cm sample probe with hydrophobic barrier (water trap) and particulate filters, 5 ft. / 1.5 m sample tubing, five spare particulate filters and one spare water trap filter.

**Datalogging / Pump Units:** Include standard version contents plus 32 MB MultiMediaCard (MMC) (installed) and BW Fleet Manager software for downloading, evaluating and archiving monitoring results.

**Confined Space Kits:** Include standard version contents plus foam lined carrying case for instrument and accessories, 34L cylinder(s) of calibration gas, 1.0 LPM calibration regulator (male) and tubing.

GasAlertMicro5		Order Number	Standard (AA batteries)	Rechargeable Battery replace suffix: "....A-D-0-Y-N-00" with "....R-D-0-Y-N-00"	Motorized Pump replace suffix: "....A-D-0-Y-N-00" with "....R-P-0-Y-N-00"	Datalogging replace suffix: "....A-D-0-Y-N-00" with "....R-P-D-Y-N-00"
5-gas detector		Price(USD)				
Combustibles (%LEL), Oxygen (O <sub>2</sub> ), Carbon Monoxide (CO), Hydrogen Sulfide (H <sub>2</sub> S), Sulphur Dioxide (SO <sub>2</sub> )	M5-XWSY-A-D-0-Y-N-00	\$1,200.00		\$1,350.00	\$1,475.00	\$1,575.00
Combustibles (%LEL), Oxygen (O <sub>2</sub> ), Carbon Monoxide (CO), Hydrogen Sulfide (H <sub>2</sub> S), Chlorine (Cl <sub>2</sub> )	M5-XWCY-A-D-0-Y-N-00	\$1,200.00		\$1,350.00	\$1,475.00	\$1,575.00
4-gas detector						
Combustibles (%LEL), Oxygen (O <sub>2</sub> ), Carbon Monoxide (CO), Hydrogen Sulfide (H <sub>2</sub> S)	M5-XW0Y-A-D-0-Y-N-00	\$905.00		\$1,055.00	\$1,180.00	\$1,280.00
GasAlertMicro5 Confined Space Kits		Order Number	Standard (AA batteries)	Rechargeable Battery replace suffix: "....A-D-0-Y-N-..." with "....R-D-0-Y-N-..."	Motorized Pump replace suffix: "....A-D-0-Y-N-..." with "....R-P-0-Y-N-..."	Datalogging replace suffix: "....A-D-0-Y-N-..." with "....R-P-D-Y-N-..."
Confined space kit with 5-gas detector						
Combustibles (%LEL), Oxygen (O <sub>2</sub> ), Carbon Monoxide (CO), Hydrogen Sulfide (H <sub>2</sub> S), Sulfur Dioxide (SO <sub>2</sub> )	M5-XWSY-A-D-0-Y-N-05	\$1,735.00		\$1,885.00	\$2,010.00	\$2,110.00
without gas and regulator	M5-XWSY-A-D-0-Y-N-01	\$1,375.00		\$1,525.00	\$1,650.00	\$1,750.00
Combustibles (%LEL), Oxygen (O <sub>2</sub> ), Carbon Monoxide (CO), Hydrogen Sulfide (H <sub>2</sub> S), Chlorine (Cl <sub>2</sub> )	M5-XWCY-A-D-0-Y-N-06	\$1,760.00		\$1,910.00	\$2,035.00	\$2,135.00
without gas and regulator	M5-XWCY-A-D-0-Y-N-01	\$1,375.00		\$1,525.00	\$1,650.00	\$1,750.00
Confined space kit with 4-gas detector						
Combustibles (%LEL), Oxygen (O <sub>2</sub> ), Carbon Monoxide (CO), Hydrogen Sulfide (H <sub>2</sub> S)	M5-XW0Y-A-D-0-Y-N-04	\$1,300.00		\$1,450.00	\$1,575.00	\$1,675.00
without gas and regulator	M5-XW0Y-A-D-0-Y-N-01	\$1,080.00		\$1,230.00	\$1,355.00	\$1,455.00
See configurator for a complete list of options						
Region	replace "...-N-.." with "...-U-.."	UK	replace "...-N-.." with "...-C-.."	China/New Zealand		
	replace "...-N-.." with "...-E-.."	Europe	replace "...-N-.." with "...-S-.."	Switzerland		
	replace "...-N-.." with "...-A-.."	Australia	replace "...-N-.." with "...-X-.."	Other Region with 3-pin UK plug		
			replace "...-N-.." with "...-Y-.."	Other Region with 2-pin EU plug		


Notes: Black housing available at no additional charge. Stealth option available.  
(See configurator next page.)

## Quick Pick Guide

for the most commonly ordered units

		Standard Unit	Rechargeable Battery	Motorized Pump	Datalogging	Order Number	List Price (USD)
GasAlertMicro 5  LEL, O <sub>2</sub> , CO, H <sub>2</sub> S	Detector with....	✓				M5-XW0Y-A-D-0-Y-N-00	\$905.00
		✓	✓			M5-XW0Y-R-D-0-Y-N-00	\$1,055.00
		✓	✓	✓		M5-XW0Y-R-P-0-Y-N-00	\$1,180.00
		✓	✓	✓	✓	M5-XW0Y-R-P-D-Y-N-00	\$1,280.00
Detector and Confined Space Kit with....  LEL, O <sub>2</sub> , Cl <sub>2</sub> , NH <sub>3</sub>	Detector and Confined Space Kit with....	✓				M5-XW0Y-A-D-0-Y-N-04	\$1,300.00
		✓	✓			M5-XW0Y-R-D-0-Y-N-04	\$1,450.00
		✓	✓	✓		M5-XW0Y-R-P-0-Y-N-04	\$1,575.00
		✓	✓	✓	✓	M5-XW0Y-R-P-D-Y-N-04	\$1,675.00
Detector with....  LEL, O <sub>2</sub> , Cl <sub>2</sub> , NH <sub>3</sub>	Detector with....	✓				M5-XWAC-A-D-0-Y-N-00	\$1,200.00
		✓	✓			M5-XWAC-R-D-0-Y-N-00	\$1,350.00
		✓	✓	✓		M5-XWAC-R-P-0-Y-N-00	\$1,475.00
		✓	✓	✓	✓	M5-XWAC-R-P-D-Y-N-00	\$1,575.00
Detector and Confined Space Kit with....  LEL, O <sub>2</sub> , Cl <sub>2</sub> , CO, H <sub>2</sub> S	Detector and Confined Space Kit with....	✓				M5-XWAC-A-D-0-Y-N-14	\$1,895.00
		✓	✓			M5-XWAC-R-D-0-Y-N-14	\$2,045.00
		✓	✓	✓		M5-XWAC-R-P-0-Y-N-14	\$2,170.00
		✓	✓	✓	✓	M5-XWAC-R-P-D-Y-N-14	\$2,270.00
Detector with....  LEL, O <sub>2</sub> , Cl <sub>2</sub> , CO, H <sub>2</sub> S	Detector with....	✓				M5-XWCY-A-D-0-Y-N-00	\$1,200.00
		✓	✓			M5-XWCY-R-D-0-Y-N-00	\$1,350.00
		✓	✓	✓		M5-XWCY-R-P-0-Y-N-00	\$1,475.00
		✓	✓	✓	✓	M5-XWCY-R-P-D-Y-N-00	\$1,575.00
Detector and Confined Space Kit with....  LEL, O <sub>2</sub> , Cl <sub>2</sub> , CO, H <sub>2</sub> S	Detector and Confined Space Kit with....	✓				M5-XWCY-A-D-0-Y-N-06	\$1,760.00
		✓	✓			M5-XWCY-R-D-0-Y-N-06	\$1,910.00
		✓	✓	✓		M5-XWCY-R-P-0-Y-N-06	\$2,035.00
		✓	✓	✓	✓	M5-XWCY-R-P-D-Y-N-06	\$2,135.00
Detector with....  LEL, O <sub>2</sub> , PH <sub>3</sub> , CO, H <sub>2</sub> S	Detector with....	✓				M5-XWPY-A-D-0-Y-N-00	\$1,200.00
		✓	✓			M5-XWPY-R-D-0-Y-N-00	\$1,350.00
		✓	✓	✓		M5-XWPY-R-P-0-Y-N-00	\$1,475.00
		✓	✓	✓	✓	M5-XWPY-R-P-D-Y-N-00	\$1,575.00
Detector and Confined Space Kit with....  LEL, O <sub>2</sub> , PH <sub>3</sub> , CO, H <sub>2</sub> S	Detector and Confined Space Kit with....	✓				M5-XWPY-A-D-0-Y-N-08	\$1,990.00
		✓	✓			M5-XWPY-R-D-0-Y-N-08	\$2,140.00
		✓	✓	✓		M5-XWPY-R-P-0-Y-N-08	\$2,265.00
		✓	✓	✓	✓	M5-XWPY-R-P-D-Y-N-08	\$2,365.00
Detector with....  LEL, O <sub>2</sub> , SO <sub>2</sub> , CO, H <sub>2</sub> S	Detector with....	✓				M5-XWSY-A-D-0-Y-N-00	\$1,200.00
		✓	✓			M5-XWSY-R-D-0-Y-N-00	\$1,350.00
		✓	✓	✓		M5-XWSY-R-P-0-Y-N-00	\$1,475.00
		✓	✓	✓	✓	M5-XWSY-R-P-D-Y-N-00	\$1,575.00
Detector and Confined Space Kit with....  LEL, O <sub>2</sub> , SO <sub>2</sub> , CO, H <sub>2</sub> S	Detector and Confined Space Kit with....	✓				M5-XWSY-A-D-0-Y-N-05	\$1,735.00
		✓	✓			M5-XWSY-R-D-0-Y-N-05	\$1,885.00
		✓	✓	✓		M5-XWSY-R-P-0-Y-N-05	\$2,010.00
		✓	✓	✓	✓	M5-XWSY-R-P-D-Y-N-05	\$2,110.00
Detector with....  LEL, O <sub>2</sub> , ClO <sub>2</sub> , CO, H <sub>2</sub> S	Detector with....	✓				M5-XWVY-A-D-0-Y-N-00	\$1,200.00
		✓	✓			M5-XWVY-R-D-0-Y-N-00	\$1,350.00
		✓	✓	✓		M5-XWVY-R-P-0-Y-N-00	\$1,475.00
		✓	✓	✓	✓	M5-XWVY-R-P-D-Y-N-00	\$1,575.00
Detector and Confined Space Kit with....  LEL, O <sub>2</sub> , ClO <sub>2</sub> , CO, H <sub>2</sub> S	Detector and Confined Space Kit with....	✓				M5-XWVY-A-D-0-Y-N-04	\$1,595.00
		✓	✓			M5-XWVY-R-D-0-Y-N-04	\$1,745.00
		✓	✓	✓		M5-XWVY-R-P-0-Y-N-04	\$1,870.00
		✓	✓	✓	✓	M5-XWVY-R-P-D-Y-N-04	\$1,970.00

GasAlertMicro 5  
with integral pump option




Sampling Probe  
with particle and water filter  
for GasAlert detector series  
GA-PROB1-1  
\$30.00



GasAlertMicro 5  
Cradle Charger  
comes with battery pack  
M5-C01-BAT01  
\$225.00



MMC USB Reader  
CR-MMC-USB1  
\$55.00



www.gasmointors.com

Total(USD)

\$300.00 +  +  +  +  +  +  +  +  =

**BW**  
Technologies  
by Honeywell

# GasAlertMicro 5 Accessories and Spares

GasAlertMicro 5	Order Number	Price(USD)
<b>Carrying Accessories and Options</b>		
Belt Holster for GasAlertMicro 5 / GasAlertMicro 5 PID	GA-HM5	\$20.00
Alligator Clip (stainless steel) replacement (standardly included with detector)	GAMIC-AG2	\$14.00
Neckstrap with safety release	GA-NS-1	\$10.00
Short Strap (6 in./ 15.2 cm)	GA-LY-1	\$7.00
Extension Strap (4 ft./ 1.2 m)	GA-ES-1	\$25.00
Arm Band	GA-ARM-1	\$25.00
Chest Harness	GA-CH-2	\$45.00
Carrying Case (empty) with foam for GasAlertMicro Confined Space Kit	GAMIC-CK-CC1	\$105.00
GasAlertMicro Confined Space Kit without detector	GAMIC-CK	\$450.00
<b>Power Accessories, Options and Spares</b>		
Battery Pack, rechargeable	M5-BAT01	\$125.00
Battery Pack, alkaline	M5-BAT02	\$70.00
Battery Pack, alkaline with European-style screws	M5-BAT03	\$70.00
Cradle Charger for M5-BAT-01 rechargeable battery pack <small>Note: Specify plug/region version (-xx): United Kingdom (-UK), European (-EU), China/Australia (-AU), Switzerland (-CH)</small>	M5-C01(-xx)	\$150.00
Cradle Charger and Rechargeable Battery Pack <small>Note: Specify plug/region version (-xx): United Kingdom (-UK), European (-EU), China/Australia (-AU), Switzerland (-CH)</small>	M5-C01-BAT01(-xx)	\$225.00
Multi-unit Charging Cable (4 detectors)	GA-CHRG1-MC5	\$40.00
Replacement Battery Pack Shell for alkaline batteries	M5-BH02	\$65.00
Replacement Battery Pack for alkaline batteries with European-style screws	M5-BH03	\$65.00
Replacement Battery Latch	M5-BL-1	\$5.00
<b>Datalogging Accessories and Options</b>		
MultiMediaCard (MMC) 32 MB	MMC32	\$25.00
MultiMediaCard (MMC) 64 MB	MMC64	\$80.00
MMC USB Reader (USB Port) for MMC cards	CR-MMC-USB1	\$55.00
<b>Sampling/Testing Equipment and Spares</b>		
Replacement Test Cap and Hose (1 ft./0.3 m)	M5-TC-1	\$12.00
Integral Motorized Pump Kit - includes motorized pump cover, 12 in./30 cm sample probe with hydrophobic barrier (water trap) and particulate filters, 5 ft./1.5 m sampling tubing, five spare particulate filters and one spare water trap filter	M5-PUMP	\$150.00
Replacement Pump	M5-PR-1	\$130.00
Replacement Diffusion Cover	M5-DC-1	\$10.00
MicroDock II Automatic Test and Calibration System - Base Station and GasAlertMicro 5 / GasAlertMicro 5 PID Docking Module with charging capability and charging cable <small>Note: for complete MicroDock II system configuration information, see MicroDock II section, page 42</small>	DOCK2-2-1C1K-N-00	\$1,645.00

GasAlertMicro 5	Order Number	Price(USD)
<i>MicroDock II Automatic Test and Calibration System - Base Station and GasAlertMicro 5 / GasAlertMicro 5 PID Docking Module, non-charging</i>  <i>Note: for complete MicroDock II system configuration information, see MicroDock II section, page 42</i>	DOCK2-2-1J-N-00	\$1,495.00
<i>GasAlertMicro 5 / GasAlertMicro 5 PID MicroDock II Docking Module with charging capability (charging cable required)</i>  <i>Note: for complete MicroDock II system configuration information, see MicroDock II section, page 42</i>	DOCK2-0-1K-N-00	\$600.00
<i>GasAlertMicro 5 / GasAlertMicro 5 PID MicroDock II Docking Module, non-charging</i>  <i>Note: for complete MicroDock II system configuration information, see MicroDock II section, page 42</i>	DOCK2-0-1J-N-00	\$500.00
Manual Aspirator Pump Kit with 1 ft./0.3 m probe	GA-AS02	\$79.00
Hydrophobic filter replacement with male connector for Aspirator Pump	D4-WT-1	\$9.00
Sampling Hose (10 ft./3 m) with particulate filter for Aspirator Pump — for longer hose lengths: modify order number suffix and add unit cost to base cost (D4-HAS-10)	D4-HAS-10 D4-HAS-(##)	\$75.00
Sample Probe (0.3 m/1 ft.) with particulate filters and hydrophobic barrier	GA-PROB1-1	\$30.00
Replacement Filter Fit for GA-PROB1-1	GA-PROB-FIL-K1	\$10.00
Replacement Part Kit for GA-PROB1-1	GA-PROB-RK1	\$22.00
Hydrophobic (watertrap) Filter 1.0µm, kit of 20	GA-SFIL-K1	\$140.00
Telescopic Sample Probe (2.4 m/7.9 ft.) for GasAlert series	GA-TPROB7	\$120.00
Sampling Float for GasAlert series detectors	GA-FLOAT	\$55.00
Intake Umbrella Protector	GAMAX-IU	\$3.50
Airstone Water/Particulate Filter for sampling hoses	D4-PF-1	\$18.00
<b><i>SamplerPak - Kit, Accessories, Options and Spares</i></b>		
<i>SamplerPak, motorized sampling pump portable kit - includes motorized pump, sampling tubes/probes with room for a detector in a hard-sided carrying case</i>  <i>Note: Specify plug/region version (-xx): United Kingdom (-UK), European (-EU), China/New Zealand (-CN), Australia (-AU), Switzerland (-CH)</i>	GA-SPAK (-xx)	\$285.00
Collapsible Sample Probe (3 ft./0.9 m) for Sampler	SP-CPROB1	\$65.00
Collapsible Sample Probe (14 ft./3.4 m) for Sampler	SP-CPROB1-14	\$115.00
Sampling Hose (10 ft./3 m) with quick connect and particulate filter for Sampler — for longer hose lengths: modify order number suffix and add unit cost to base cost (D4-HSP-10)	D4-HSP-10 D4-HSP-(##)	\$55.00 add \$2.50 / ft.
Sample Probe for Sampler - per ft./0.3m (maximum 8 ft./2.4m)	SP-T1-2	\$2.50 / ft.
Belt Holster for Sampler	GA-HSAMP	\$20.00
Replacement Sampler Pump Filters (white), kit 5	SP-PF-1	\$10.00
Replacement Airstone Water/Particulate Filter for Sampling Hoses	D4-PF-1	\$18.00
Replacement Short Sample Tube (4.65 in./11.8 cm) with barbed fitting	SP-T2-S	\$12.00
Replacement Medium Sample Tube (10.25 in./26 cm) with barbed fitting	SP-T2-M	\$15.00
Replacement Sampler motorized sampling pump for SamplerPak portable kits	GA-SP01	\$250.00
Replacement Sampler motorized sampling pump for SamplerPak portable kits (ATEX approved)	GA-SP02	\$250.00
Replacement Pump Gaskets for Sampler, kit of 5	SP-GK-1	\$10.00
Barbed Plastic Fitting for Sampler/Instrument Hose, kit of 5	SP-HF-1	\$10.00

# GasAlertMicro 5 Accessories and Spares

GasAlertMicro 5	Order Number	Price(USD)
Replacement Coiled Connector Tubing for Sampler	SP-CT-1	\$30.00
Replacement screws, kit of 10	M2437K	\$4.00
Replacement Carrying Case with foam for SamplerPak portable kits	SPAK-CC1	\$45.00
<i>Instructional Materials</i>		
Interactive Training Video	M5-CDT	\$5.00
<i>Sensor Accessories, Spares and Replacements</i>		
Replacement Sensor Screens (quad), kit of 2	M5-SS	\$12.00
Twin Tox Sensor - Carbon Monoxide (CO) and Hydrogen Sulfide (H2S)	D4-RHM04	\$295.00
Hydrogen Sulfide (H2S) Sensor	PS-RH04S	\$210.00
Hydrogen Sulfide (H2S) Sensor, low methanol	SR-H204	\$210.00
Carbon Monoxide (CO) Sensor	PS-RM04	\$220.00
Sulfur Dioxide (SO2) Sensor	PS-RS04	\$297.00
Chlorine (Cl2) Sensor	PS-RC10	\$297.00
Hydrogen Cyanide (HCN) Sensor	PS-RZ10	\$285.00
Nitrogen Dioxide (NO2) Sensor	PS-RD04	\$297.00
Ammonia (NH3) Sensor	SR-A04	\$297.00
Phosphine (PH3) Sensor	SR-P04	\$297.00
Ozone (O3) Sensor	SR-G04	\$305.00
Chlorine Dioxide (ClO2) Sensor	SR-V04	\$297.00
Combustible (0-100% LEL) Sensor (standard)	SR-W04	\$175.00
Combustible (0-100% LEL) Sensor (with heavy duty silicone filter)	SR-W04-SF	\$195.00
<b>Advisory:</b> Detectors are equipped on a standard basis with SR-W04 combustible sensors. The SR-W04 combustible sensor replaces the older D4-RW90 sensor. The D4-RW90 sensor included a heavy duty silicone filter that is not necessary for most monitoring applications. The SR-W04-SF sensor is a special application combustible sensor that includes a silicone filter. The SR-W04-SF should only be specified when the environment to be monitored includes known sources of silicone or silicon containing vapors. The SR-W04-SF silicone filter equipped sensor should not be used when monitoring diesel, kerosene, jet fuel or other heavy hydrocarbon vapors with flashpoint temperatures above 38°C (100°F).		
Oxygen (O2) Sensor	SR-X10	\$135.00



ACTUAL SIZE

### Packaging Contents:

**Standard Versions:** Complete with monitor and sensors (as specified), sensor compartment cover for diffusion operation, calibration adaptor and hose, quick reference guide, interactive training and technical documentation CD, integral concussion-proof boot, and 3 AA alkaline batteries.

**Rechargeable Battery Pack Versions:** Includes standard version contents plus sealed rechargeable nickel-metal hydride (NiMH) battery pack and slip-in charger cradle with 120 / 230 VAC AC/DC adaptor.

**Motorized Pump Units:** Include standard version contents plus motorized pump and cover (installed), 12 in. / 30 cm sample probe with hydrophobic barrier (water trap) and particulate filters, 10 ft. / 3 m sample tubing, five spare particulate filters and one spare water trap filter.

**Datalogging Units:** Include standard version contents plus 32 MB MultiMediaCard (MMC) (installed) and BW Fleet Manager software for downloading, evaluating and archiving monitoring results

Incorporating all of the features of the regular GasAlertMicro 5, the GasAlertMicro 5 PID uses a Photoionization Detector to sense the presence of VOCs (Volatile Organic Compounds).

### Features:

- Compact (5.7 x 2.9 x 1.5 in. / 14.5 x 7.4 x 3.8 cm) and lightweight (13.1 oz. / 370 g)
- Rugged, highly water-resistant design
- Continuous LCD shows simultaneous gas concentrations for up to five gases
- 0-1,000 ppm measurement of volatile organic compounds (VOCs)
- Integral concussion-proof enclosure for the most rugged environments
- Integral motorized pump option for remote sampling (optional)
- Two power options: three AA alkaline batteries or a rechargeable battery pack
- Provides 95 dB alarm tone, two bright wide-angled alarm bars and internal vibrating alarm for high noise areas
- Multi-language support in English, French, German, Spanish and Portuguese
- Four alarm levels: instantaneous Low and High Alarm for all gases; TWA (time weighted average) and STEL (short term exposure limit) for toxic gases
- Simple automatic calibration procedure; compatible with BW MicroDock II system
- Records TWA, STEL and maximum exposures to gas and displays readings on command
- User selectable field options include: PID correction factor, language selection, confidence beep, span level, set TWA/STEL calculation choice, set calibration due date, pass code protection, latching alarm and "SAFE" display function, stealth mode, selectable ppm resolution for some gases (e.g. SO<sub>2</sub> 0.1 ppm)
- Full function self-test of: sensor, battery and circuit integrity; and audible/visual alarms
- Two year warranty; including sensors

**Confined Space Kits:** Include standard version contents plus foam lined carrying case for instrument and accessories, 34L cylinder(s) of calibration gas required for sensors installed, 1.0 LPM calibration regulator (male) and tubing.


GasAlertMicro5 PID		Order Number	Standard (AA batteries)	Rechargeable Battery replace suffix: "...-A-D-0-Y-N-00" with "...-R-D-0-Y-N-00"	Motorized Pump replace suffix: "...-A-D-0-Y-N-00" with "...-R-P-0-Y-N-00"	Datalogging replace suffix: "...-A-D-0-Y-N-00" with "...-R-P-D-Y-N-00"
<b>5-gas detector</b>						
PID (VOCs), Combustibles (%LEL), Oxygen (O <sub>2</sub> ), Carbon Monoxide (CO), Hydrogen Sulfide (H <sub>2</sub> S)	M5PID-XWQY-A-D-0-Y-N-00	\$1,520.00		\$1,670.00	\$1,795.00	\$1,895.00
<b>4-gas detector</b>						
PID (VOCs), Combustibles (%LEL), Oxygen (O <sub>2</sub> ), Chlorine (Cl <sub>2</sub> )	M5PID-XWQC-A-D-0-Y-N-00	\$1,520.00		\$1,670.00	\$1,795.00	\$1,895.00
PID (VOCs), Combustibles (%LEL), Oxygen (O <sub>2</sub> ), Sulfur Dioxide (SO <sub>2</sub> )	M5PID-XWQS-A-D-0-Y-N-00	\$1,520.00		\$1,670.00	\$1,795.00	\$1,895.00
PID (VOCs), Combustibles (%LEL), Oxygen (O <sub>2</sub> ), Ammonia (NH <sub>3</sub> )	M5PID-XWQA-A-D-0-Y-N-00	\$1,520.00		\$1,670.00	\$1,795.00	\$1,895.00
<b>Single-gas detector</b>						
PID (VOCs)	M5PID-00Q0-A-D-0-Y-N-00	\$915.00		\$1,065.00	\$1,190.00	\$1,290.00
GasAlertMicro5 PID Confined Space Kits		Order Number	Standard (AA batteries)	Rechargeable Battery replace suffix: "...-A-D-0-Y-N-..." with "...-R-D-0-Y-N-..."	Motorized Pump replace suffix: "...-A-D-0-Y-N-..." with "...-R-P-0-Y-N-..."	Datalogging replace suffix: "...-A-D-0-Y-N-..." with "...-R-P-D-Y-N-..."
<b>Confined space kit with 5-gas detector</b>						
PID (VOC), Combustibles (%LEL), Oxygen (O <sub>2</sub> ), Carbon Monoxide (CO), Hydrogen Sulphide (H <sub>2</sub> S)	M5PID-XWQY-A-D-0-Y-N-09	\$1,960.00		\$2,110.00	\$2,235.00	\$2,335.00
without gas and regulator	M5PID-XWQY-A-D-0-Y-N-01	\$1,695.00		\$1,845.00	\$1,970.00	\$2,070.00
<b>Confined space kit with 4-gas detector</b>						
PID (VOCs), Combustibles (%LEL), Oxygen (O <sub>2</sub> ), Chlorine (Cl <sub>2</sub> )	M5PID-XWQC-A-D-0-Y-N-11	\$2,035.00		\$2,185.00	\$2,310.00	\$2,410.00
without gas and regulator	M5PID-XWQC-A-D-0-Y-N-01	\$1,695.00		\$1,845.00	\$1,970.00	\$2,070.00
PID (VOCs), Combustibles (%LEL), Oxygen (O <sub>2</sub> ), Sulfur Dioxide (SO <sub>2</sub> )	M5PID-XWQS-A-D-0-Y-N-10	\$2,010.00		\$2,160.00	\$2,285.00	\$2,385.00
without gas and regulator	M5PID-XWQS-A-D-0-Y-N-01	\$1,695.00		\$1,845.00	\$1,970.00	\$2,070.00
PID (VOCs), Combustibles (%LEL), Oxygen (O <sub>2</sub> ), Ammonia (NH <sub>3</sub> )	M5PID-XWQA-A-D-0-Y-N-12	\$1,960.00		\$2,245.00	\$2,370.00	\$2,470.00
without gas and regulator	M5PID-XWQA-A-D-0-Y-N-01	\$1,695.00		\$1,845.00	\$1,970.00	\$2,070.00
<i>See configurator for a complete list of options</i>						
Region	replace "..-N-.." with "..-U-.."	UK	replace "..-N-.." with "..-C-.."	China/New Zealand		
	replace "..-N-.." with "..-E-.."	Europe	replace "..-N-.." with "..-S-.."	Switzerland		
	replace "..-N-.." with "..-A-.."	Australia	replace "..-N-.." with "..-X-.."	Other Region with 3-pin UK plug		
			replace "..-N-.." with "..-Y-.."	Other Region with 2-pin EU plug		
<i>Notes: Black housing available at no additional charge. Stealth option available. (See configurator on next page.)</i>						

## Quick Pick Guide

for the most commonly ordered units

GasAlertMicro 5 PID		Standard Unit	Rechargeable Battery	Motorized Pump	Datalogging	Order Number	List Price (USD)
LEL, O <sub>2</sub> , PID, CO, H <sub>2</sub> S	Detector with....	<input checked="" type="checkbox"/>				M5PID-XWQY-A-D-0-Y-N-00	\$1,520.00
		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>			M5PID-XWQY-R-D-0-Y-N-00	\$1,670.00
		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		M5PID-XWQY-R-P-0-Y-N-00	\$1,795.00
		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	M5PID-XWQY-R-P-D-Y-N-00	\$1,895.00
	Detector and Confined Space Kit with....	<input checked="" type="checkbox"/>				M5PID-XWQY-A-D-0-Y-N-09	\$1,960.00
		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>			M5PID-XWQY-R-D-0-Y-N-09	\$2,110.00
		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		M5PID-XWQY-R-P-0-Y-N-09	\$2,235.00
		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	M5PID-XWQY-R-P-D-Y-N-09	\$2,335.00
LEL, O <sub>2</sub> , PID, Cl <sub>2</sub> ,	Detector with....	<input checked="" type="checkbox"/>				M5PID-XWQC-A-D-0-Y-N-00	\$1,520.00
		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>			M5PID-XWQC-R-D-0-Y-N-00	\$1,670.00
		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		M5PID-XWQC-R-P-0-Y-N-00	\$1,795.00
		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	M5PID-XWQC-R-P-D-Y-N-00	\$1,895.00
	Detector and Confined Space Kit with....	<input checked="" type="checkbox"/>				M5PID-XWQC-A-D-0-Y-N-11	\$2,035.00
		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>			M5PID-XWQC-R-D-0-Y-N-11	\$2,185.00
		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		M5PID-XWQC-R-P-0-Y-N-11	\$2,310.00
		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	M5PID-XWQC-R-P-D-Y-N-11	\$2,410.00
LEL, O <sub>2</sub> , PID, SO <sub>2</sub>	Detector with....	<input checked="" type="checkbox"/>				M5PID-XWQS-A-D-0-Y-N-00	\$1,520.00
		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>			M5PID-XWQS-R-D-0-Y-N-00	\$1,670.00
		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		M5PID-XWQS-R-P-0-Y-N-00	\$1,795.00
		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	M5PID-XWQS-R-P-D-Y-N-00	\$1,895.00
	Detector and Confined Space Kit with....	<input checked="" type="checkbox"/>				M5PID-XWQS-A-D-0-Y-N-10	\$2,010.00
		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>			M5PID-XWQS-R-D-0-Y-N-10	\$2,160.00
		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		M5PID-XWQS-R-P-0-Y-N-10	\$2,285.00
		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	M5PID-XWQS-R-P-D-Y-N-10	\$2,385.00
LEL, O <sub>2</sub> , PID, PH <sub>3</sub>	Detector with....	<input checked="" type="checkbox"/>				M5PID-XWQP-A-D-0-Y-N-00	\$1,520.00
		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>			M5PID-XWQP-R-D-0-Y-N-00	\$1,670.00
		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		M5PID-XWQP-R-P-0-Y-N-00	\$1,795.00
		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	M5PID-XWQP-R-P-D-Y-N-00	\$1,895.00
	Detector and Confined Space Kit with....	<input checked="" type="checkbox"/>				M5PID-XWQP-A-D-0-Y-N-13	\$2,265.00
		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>			M5PID-XWQP-R-D-0-Y-N-13	\$2,415.00
		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		M5PID-XWQP-R-P-0-Y-N-13	\$2,540.00
		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	M5PID-XWQP-R-P-D-Y-N-13	\$2,640.00
LEL, O <sub>2</sub> , PID, NH <sub>3</sub>	Detector with....	<input checked="" type="checkbox"/>				M5PID-XWQA-A-D-0-Y-N-00	\$1,520.00
		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>			M5PID-XWQA-R-D-0-Y-N-00	\$1,670.00
		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		M5PID-XWQA-R-P-0-Y-N-00	\$1,795.00
		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	M5PID-XWQA-R-P-D-Y-N-00	\$1,895.00
	Detector and Confined Space Kit with....	<input checked="" type="checkbox"/>				M5PID-XWQA-A-D-0-Y-N-12	\$2,095.00
		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>			M5PID-XWQA-R-D-0-Y-N-12	\$2,245.00
		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		M5PID-XWQA-R-P-0-Y-N-12	\$2,370.00
		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	M5PID-XWQA-R-P-D-Y-N-12	\$2,470.00
LEL, O <sub>2</sub> , PID, ClO <sub>2</sub>	Detector with....	<input checked="" type="checkbox"/>				M5PID-XWQV-A-D-0-Y-N-00	\$1,520.00
		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>			M5PID-XWQV-R-D-0-Y-N-00	\$1,670.00
		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		M5PID-XWQV-R-P-0-Y-N-00	\$1,795.00
		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	M5PID-XWQV-R-P-D-Y-N-00	\$1,895.00
	Detector and Confined Space Kit with....	<input checked="" type="checkbox"/>				M5PID-XWQV-A-D-0-Y-N-03	\$1,830.00
		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>			M5PID-XWQV-R-D-0-Y-N-03	\$1,980.00
		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		M5PID-XWQV-R-P-0-Y-N-03	\$2,105.00
		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	M5PID-XWQV-R-P-D-Y-N-03	\$2,205.00

<b>Interchangeable Tox 1 Sensor</b>
0 Empty – Dummy sensor
Y PID Photo Ionization Detector for VOCs (Volatile Organic Compounds)
W
<b>Combustible Sensor</b>
0 Empty – Dummy sensor
Y LEL Combustible
W
<b>Oxygen Sensor</b>
0 Empty – Dummy sensor
Y O <sub>2</sub> Oxygen
X



<b>Interchangeable Tox 2 Sensor</b>
0 Empty – Dummy sensor
Y COSH TwinTox dual-channel CO / H <sub>2</sub> S
W
<b>H<sub>2</sub>S</b> Hydrogen Sulfide
<b>CO</b> Carbon Monoxide
<b>SO<sub>2</sub></b> Sulfur Dioxide
<b>Cl<sub>2</sub></b> Chlorine Dioxide
<b>NH<sub>3</sub></b> Ammonia
<b>PH<sub>3</sub></b> Phosphine
<b>HCN</b> Hydrogen Cyanide
<b>NO<sub>2</sub></b> Nitrogen Dioxide
<b>O<sub>3</sub></b> Ozone

<b>Battery options</b>
A Alkaline battery version
R Rechargeable NiMH battery pack and cradle charger
V Rechargeable NiMH battery pack, cradle charger and vehicle adaptor

<b>Datalogging</b>
0 Non-datalogging monitor
D Datalogging monitor – includes Fleet Manager software

<b>Housing configuration</b>
Y Standard yellow housing
B Black housing
S Stealth IR LED with black housing

<b>Region</b>
N North America
E Europe/North Africa
X Other region with 3-pin UK plug
Y Other region with 2-pin EU plug

<b>Confined Space Kits</b>
00 Monitor only
01 CSK w carrying case – no gas, no regulator
02 CSK w carrying case and 1.0 LPM regulator – no gas
03 CSK w 1 cyl 34L 50% LEL CH <sub>4</sub> / 1 cyl iso
04 CSK w 1 cyl 34L 4-mix (LEL/O <sub>2</sub> /CO/H <sub>2</sub> S)*
05 CSK w 1 cyl 34L 4-mix (LEL/O <sub>2</sub> /CO/H <sub>2</sub> S)* and 1 cyl SO <sub>2</sub>
06 CSK w 1 cyl 34L 4-mix (LEL/O <sub>2</sub> /CO/H <sub>2</sub> S)* and 1 cyl Cl <sub>2</sub>
07 CSK w 1 cyl 34L 4-mix (LEL/O <sub>2</sub> /CO/H <sub>2</sub> S)* and 1 cyl NH <sub>3</sub>
08 CSK w 1 cyl 34L 4-mix (LEL/O <sub>2</sub> /CO/H <sub>2</sub> S)* and 1 cyl PH <sub>3</sub>
09 CSK w 1 cyl 34L 4-mix (LEL/O <sub>2</sub> /CO/H <sub>2</sub> S)* and 1 cyl iso
10 CSK w 1 cyl 34L 50% LEL CH <sub>4</sub> / 1 cyl SO <sub>2</sub> / 1 cyl iso
11 CSK w 1 cyl 34L 50% LEL CH <sub>4</sub> / 1 cyl Cl <sub>2</sub> / 1 cyl iso
12 CSK w 1 cyl 34L 50% LEL CH <sub>4</sub> / 1 cyl NH <sub>3</sub> / 1 cyl iso
13 CSK w 1 cyl 34L 50% LEL CH <sub>4</sub> / 1 cyl PH <sub>3</sub> / 1 cyl iso
14 CSK w 1 cyl 34L 50% LEL CH <sub>4</sub> / 1 cyl Cl <sub>2</sub> / 1 cyl NH <sub>3</sub>

<b>Sampling method</b>
00 0.00
01 0.00
02 0.00
03 0.00
04 0.00
05 0.00
06 0.00
07 0.00
08 0.00
09 0.00
10 0.00
11 0.00
12 0.00
13 0.00
14 0.00

<b>Datalogging</b>
A \$ 0.00
D \$ 0.00
P \$ 0.00
V \$ 0.00
R \$ 0.00
Y \$ 0.00
W \$ 0.00
Q \$ 0.00
S \$ 0.00
C \$ 0.00
V \$ 0.00
A \$ 0.00
P \$ 0.00
D \$ 0.00
G \$ 0.00

<b>Housing configuration</b>
Y \$ 0.00
B \$ 0.00
S \$ 0.00
W \$ 0.00
Q \$ 0.00
V \$ 0.00
A \$ 0.00
P \$ 0.00
D \$ 0.00
G \$ 0.00

<b>Confined Space Kits</b>
Y \$ 0.00
B \$ 0.00
S \$ 0.00
W \$ 0.00
Q \$ 0.00
V \$ 0.00
A \$ 0.00
P \$ 0.00
D \$ 0.00
G \$ 0.00

<b>Battery options</b>
A \$ 0.00
R \$ 0.00
V \$ 0.00
G \$ 0.00

<b>Sampling method</b>
Y \$ 0.00
B \$ 0.00
S \$ 0.00
W \$ 0.00
Q \$ 0.00
V \$ 0.00
A \$ 0.00
P \$ 0.00
D \$ 0.00
G \$ 0.00

<b>Housing configuration</b>
Y \$ 0.00
B \$ 0.00
S \$ 0.00
W \$ 0.00
Q \$ 0.00
V \$ 0.00
A \$ 0.00
P \$ 0.00
D \$ 0.00
G \$ 0.00

<b>Confined Space Kits</b>
Y \$ 0.00
B \$ 0.00
S \$ 0.00
W \$ 0.00
Q \$ 0.00
V \$ 0.00
A \$ 0.00
P \$ 0.00
D \$ 0.00
G \$ 0.00

<b>Battery options</b>
A \$ 0.00
R \$ 0.00
V \$ 0.00
G \$ 0.00

<b>Sampling method</b>
Y \$ 0.00
B \$ 0.00
S \$ 0.00
W \$ 0.00
Q \$ 0.00
V \$ 0.00
A \$ 0.00
P \$ 0.00
D \$ 0.00
G \$ 0.00

<b>Housing configuration</b>
Y \$ 0.00
B \$ 0.00
S \$ 0.00
W \$ 0.00
Q \$ 0.00
V \$ 0.00
A \$ 0.00
P \$ 0.00
D \$ 0.00
G \$ 0.00

<b>Confined Space Kits</b>
Y \$ 0.00
B \$ 0.00
S \$ 0.00
W \$ 0.00
Q \$ 0.00
V \$ 0.00
A \$ 0.00
P \$ 0.00
D \$ 0.00
G \$ 0.00

<b>Battery options</b>
A \$ 0.00
R \$ 0.00
V \$ 0.00
G \$ 0.00

<b>Sampling method</b>
Y \$ 0.00
B \$ 0.00
S \$ 0.00
W \$ 0.00
Q \$ 0.00
V \$ 0.00
A \$ 0.00
P \$ 0.00
D \$ 0.00
G \$ 0.00

<b>Housing configuration</b>
Y \$ 0.00
B \$ 0.00
S \$ 0.00
W \$ 0.00
Q \$ 0.00
V \$ 0.00
A \$ 0.00
P \$ 0.00
D \$ 0.00
G \$ 0.00

<b>Confined Space Kits</b>
Y \$ 0.00
B \$ 0.00
S \$ 0.00
W \$ 0.00
Q \$ 0.00
V \$ 0.00
A \$ 0.00
P \$ 0.00
D \$ 0.00
G \$ 0.00

<b>Battery options</b>
A \$ 0.00
R \$ 0.00
V \$ 0.00
G \$ 0.00

<b>Sampling method</b>
Y \$ 0.00
B \$ 0.00
S \$ 0.00
W \$ 0.00
Q \$ 0.00
V \$ 0.00
A \$ 0.00
P \$ 0.00
D \$ 0.00
G \$ 0.00

<b>Housing configuration</b>
Y \$ 0.00
B \$ 0.00
S \$ 0.00
W \$ 0.00
Q \$ 0.00
V \$ 0.00
A \$ 0.00
P \$ 0.00
D \$ 0.00
G \$ 0.00

<b>Confined Space Kits</b>
Y \$ 0.00
B \$ 0.00
S \$ 0.00
W \$ 0.00
Q \$ 0.00
V \$ 0.00
A \$ 0.00
P \$ 0.00
D \$ 0.00
G \$ 0.00

<b>Battery options</b>
A \$ 0.00
R \$ 0.00
V \$ 0.00
G \$ 0.00

<b>Sampling method</b>
Y \$ 0.00</td

# GasAlertMicro 5 PID Accessories and Spares

GasAlertMicro 5 PID	Order Number	Price(USD)
<b>Carrying Accessories and Options</b>		
Belt Holster for GasAlertMicro 5 / GasAlertMicro 5 PID	GA-HM5	\$20.00
Alligator Clip (stainless steel) replacement (standardly included with detector)	GAMIC-AG2	\$14.00
Neckstrap with safety release	GA-NS-1	\$10.00
Short Strap (6 in./ 15.2 cm)	GA-LY-1	\$7.00
Extension Strap (4 ft./ 1.2 m)	GA-ES-1	\$25.00
Arm Band	GA-ARM-1	\$25.00
Chest Harness	GA-CH-2	\$45.00
Carrying Case (empty) with foam for GasAlertMicro Confined Space Kit	GAMIC-CK-CC1	\$105.00
GasAlertMicro Confined Space Kit without detector	GAMIC-CK	\$450.00
<b>Power Accessories, Options and Spares</b>		
Battery Pack, rechargeable	M5-BAT01	\$125.00
Battery Pack, alkaline	M5-BAT02	\$70.00
Battery Pack, alkaline with European-style screws	M5-BAT03	\$70.00
Cradle Charger for M5-BAT-01 rechargeable battery pack <small>Note: Specify plug/region version (-xx): United Kingdom (-UK), European (-EU), China/Australia (-AU), Switzerland (-CH)</small>	M5-C01(-xx)	\$150.00
Cradle Charger and Rechargeable Battery Pack <small>Note: Specify plug/region version (-xx): United Kingdom (-UK), European (-EU), China/Australia (-AU), Switzerland (-CH)</small>	M5-C01-BAT01(-xx)	\$225.00
Multi-unit Charging Cable (4 detectors)	GA-CHRG1-MC5	\$40.00
Replacement Battery Pack Shell for alkaline batteries	M5-BH02	\$65.00
Replacement Battery Pack for alkaline batteries with European-style screws	M5-BH03	\$65.00
Replacement Battery Latch	M5-BL-1	\$5.00
<b>Datalogging Accessories and Options</b>		
MultiMediaCard (MMC) 32 MB	MMC32	\$25.00
MultiMediaCard (MMC) 64 MB	MMC64	\$80.00
MMC USB Reader (USB Port) for MMC cards	CR-MMC-USB1	\$55.00
<b>Sampling/Testing Equipment and Spares</b>		
Replacement Test Cap and Hose (1 ft./0.3 m)	M5-TC-1	\$12.00
Integral Motorized Pump Kit - includes motorized pump cover, 12 in./30 cm sample probe with hydrophobic barrier (water trap) and particulate filters, 5 ft./1.5 m sampling tubing, five spare particulate filters and one spare water trap filter	M5-PUMP	\$150.00
Replacement Pump	M5-PR-1	\$130.00
Replacement Diffusion Cover	M5-DC-1	\$10.00
MicroDock II Automatic Test and Calibration System - Base Station and GasAlertMicro 5 / GasAlertMicro 5 PID Docking Module with charging capability and charging cable <small>Note: for complete MicroDock II system configuration information, see MicroDock II section, page 42</small>	DOCK2-2-1C1K-N-00	\$1,645.00
MicroDock II Automatic Test and Calibration System - Base Station and GasAlertMicro 5 / GasAlertMicro 5 PID Docking Module, non-charging <small>Note: for complete MicroDock II system configuration information, see MicroDock II section, page 42</small>	DOCK2-2-1J-N-00	\$1,495.00

# GasAlertMicro 5 PID Accessories and Spares

GasAlertMicro 5 PID	Order Number	Price(USD)
GasAlertMicro 5 / GasAlertMicro 5 PID MicroDock II Docking Module with charging capability (charging cable required)  <i>Note: for complete MicroDock II system configuration information, see MicroDock II section, page 42</i>	DOCK2-0-1K-N-00	\$600.00
GasAlertMicro 5 / GasAlertMicro 5 PID MicroDock II Docking Module, non-charging  <i>Note: for complete MicroDock II system configuration information, see MicroDock II section, page 42</i>	DOCK2-0-1J-N-00	\$500.00
Manual Aspirator Pump Kit with 1 ft./0.3 m probe	GA-AS02	\$79.00
Hydrophobic filter replacement with male connector for Aspirator Pump	D4-WT-1	\$9.00
Sampling Hose (10 ft./3 m) with particulate filter for Aspirator Pump — for longer hose lengths: modify order number suffix and add unit cost to base cost (D4-HAS-10)	D4-HAS-10 D4-HAS-(##)	\$75.00 \$2.50 / ft.
Sample Probe (0.3 m/1 ft.) with particulate filters and hydrophobic barrier	GA-PROB1-1	\$30.00
Replacement Filter Fit for GA-PROB1-1	GA-PROB-FIL-K1	\$10.00
Replacement Part Kit for GA-PROB1-1	GA-PROB-RK1	\$22.00
Hydrophobic (watertrap) Filter 1.0µm, kit of 20	GA-SFIL-K1	\$140.00
Telescopic Sample Probe (2.4 m/7.9 ft.) for GasAlert series	GA-TPROB7	\$120.00
Sampling Float for GasAlert series detectors	GA-FLOAT	\$55.00
Intake Umbrella Protector	GAMAX-IU	\$3.50
Airstone Water/Particulate Filter for sampling hoses	D4-PF-1	\$18.00
<b>SamplerPak - Kit, Accessories, Options and Spares</b>		
SamplerPak, motorized sampling pump portable kit - includes motorized pump, sampling tubes/probes with room for a detector in a hard-sided carrying case  <i>Note: Specify plug/region version (-xx): United Kingdom (-UK), European (-EU), China/New Zealand (-CN), Australia (-AU), Switzerland (-CH)</i>	GA-SPAK (-xx)	\$285.00
Collapsible Sample Probe (3 ft./0.9 m) for Sampler	SP-CPROB1	\$65.00
Collapsible Sample Probe (14 ft./3.4 m) for Sampler	SP-CPROB1-14	\$115.00
Sampling Hose (10 ft./3 m) with quick connect and particulate filter for Sampler — for longer hose lengths: modify order number suffix and add unit cost to base cost (D4-HSP-10)	D4-HSP-10 D4-HSP-(##)	\$55.00 add \$2.50 / ft.
Sample Probe for Sampler - per ft./0.3m (maximum 8 ft./2.4m)	SP-T1-2	\$2.50 / ft.
Belt Holster for Sampler	GA-HSAMP	\$20.00
Replacement Sampler Pump Filters (white), kit 5	SP-PF-1	\$10.00
Replacement Airstone Water/Particulate Filter for Sampling Hoses	D4-PF-1	\$18.00
Replacement Short Sample Tube (4.65 in./11.8 cm) with barbed fitting	SP-T2-S	\$12.00
Replacement Medium Sample Tube (10.25 in./26 cm) with barbed fitting	SP-T2-M	\$15.00
Replacement Sampler motorized sampling pump for SamplerPak portable kits	GA-SP01	\$250.00
Replacement Sampler motorized sampling pump for SamplerPak portable kits (ATEX approved)	GA-SP02	\$250.00



GasAlertMicro 5 PID  
with integral pump option

Sampling Probe  
with particle and water filter  
for GasAlert detector series  
GA-PROB1-1  
\$30.00

GasAlertMicro 5 PID	Order Number	Price(USD)
Replacement Pump Gaskets for Sampler, kit of 5	SP-GK-1	\$10.00
Barbed Plastic Fitting for Sampler/Instrument Hose, kit of 5	SP-HF-1	\$10.00
Replacement Coiled Connector Tubing for Sampler	SP-CT-1	\$30.00
Replacement screws, kit of 10	M2437K	\$4.00
Replacement Carrying Case with foam for SamplerPak portable kits	SPAK-CC1	\$45.00
<b>Instructional Materials</b>		
Interactive Training Video	M5-CDT	\$5.00
<b>Sensor Accessories, Spares and Replacements</b>		
Cleaning Kit for PID sensor	M5PID-CLN-K1	\$25.00
Replacement Sensor Screens (quad), kit of 2	M5-SS	\$12.00
Replacement Electrode Stacks for SR-Q07, kit of 2	M5PID-ES-1	\$25.00
Replacement PID Lamp, 10.6 eV for PID sensor	RL-PID10.6	\$195.00
VOC PID Sensor, 10.6ev, 32 mm	SR-Q07	\$665.00
Twin Tox Sensor - Carbon Monoxide (CO) and Hydrogen Sulfide (H2S)	D4-RHM04	\$295.00
Hydrogen Sulfide (H2S) Sensor	PS-RH04S	\$210.00
Hydrogen Sulfide (H2S) Sensor, low methanol	SR-H204	\$210.00
Carbon Monoxide (CO) Sensor	PS-RM04	\$220.00
Sulfur Dioxide (SO2) Sensor	PS-RS04	\$297.00
Chlorine (Cl2) Sensor	PS-RC10	\$297.00
Hydrogen Cyanide (HCN) Sensor	PS-RZ10	\$285.00
Nitrogen Dioxide (NO2) Sensor	PS-RD04	\$297.00
Ammonia (NH3) Sensor	SR-A04	\$297.00
Phosphine (PH3) Sensor	SR-P04	\$297.00
Ozone (O3) Sensor	SR-G04	\$305.00
Chlorine Dioxide (ClO2) Sensor	SR-V04	\$297.00
Combustible (0-100% LEL) Sensor (standard)	SR-W04	\$175.00
Combustible (0-100% LEL) Sensor (with heavy duty silicone filter)	SR-W04-SF	\$195.00
<b>Advisory:</b> Detectors are equipped on a standard basis with SR-W04 combustible sensors. The SR-W04 combustible sensor replaces the older D4-RW90 sensor. The D4-RW90 sensor included a heavy duty silicone filter that is not necessary for most monitoring applications. The SR-W04-SF sensor is a special application combustible sensor that includes a silicone filter. The SR-W04-SF should only be specified when the environment to be monitored includes known sources of silicone or silicon containing vapors. The SR-W04-SF silicone filter equipped sensor should not be used when monitoring diesel, kerosene, jet fuel or other heavy hydrocarbon vapors with flashpoint temperatures above 38°C (100°F).		
Oxygen (O2) Sensor	SR-X10	\$135.00



*PID Cleaning Kit*  
for PID sensor  
M5PID-CLN-K1  
\$25.00



*GasAlertMicro 5 PID*  
Cradle Charger  
comes with battery pack  
M5-C01-BAT01  
\$225.00



## Packaging Contents:

**Basic System:** Comes complete with base station, one installed docking module (as specified for either GasAlertMicro, GasAlertClip Extreme or GasAlert Extreme), 110-240 VAC line power adaptor, installed 32 MB MultiMediaCard, BW Fleet Manager software, USB connector cable, fresh air inlet filter, four C-cell alkaline batteries, two 2 ft. / 0.6 m calibration gas hoses, two gas cylinder inlet fittings and instructions.

**Portable System Kit:** Includes the above basic system contents plus one 34L calibration gas cylinder, a demand flow regulator and a rugged carrying case.



*Calibration Gas*  
See appendix section:  
"Calibration Equipment"  
for a complete listing of  
available cylinders

*Cal Gas Wall Mount*  
For 34L cylinder  
MK-CG2-34B  
\$30.00  
For 58L cylinder  
MK-CG2-58  
\$45.00

*Demand Flow Regulator*  
REG-DF-1  
\$325.00

The new *MicroDock II* system is a cost-effective way to manage calibration and bump-testing of the GasAlertMicro, GasAlert Extreme and GasAlertClip Extreme. Fully portable and easily expandable, the MicroDock II requires no computer and provides simultaneous management of up to 10 docking modules.

Cost and time requirements for routine maintenance are reduced through the MicroDock II's sophisticated automatic calibration and test procedures. Instrument records are stored for easy retrieval in the MicroDock II and each individual gas detector. Each MicroDock II can be connected via a LAN connection.

Minimize expenses and maximize productivity with the MicroDock II.

## Features:

- Fully automatic "hands-free" calibration and functional bump test
- Automatically verifies performance of audible and visual alarms
- Stores and updates calibration records in both the GasAlertMicro, GasAlert Extreme, and the MicroDock II
- No computer required
- Entirely self-contained
- Fully portable
- Lightweight and mobile
- Operates via line power or a set of four C-cell batteries
- Add additional self-contained docking modules to system via simple, plug-in connections—no external pressure transducers or gas lines necessary
- Simplify record keeping
- Verify proper performance
- Reduce maintenance costs
- Multiple MicroDock II systems can be connected via a LAN
- Multi-language support in English and French (others to come)
- MicroDock II systems require a demand flow regulator which can be ordered separately (REG-DF-1) or as an item in most of the kits.



*AnywhereUSB*  
Communication hub for  
LAN network systems  
DOCK2-LAN1 —\$400.00



*MicroDock II Wall Mount*  
One set (2 mounts) required for  
each base station or module  
WMA-DOCK —\$8.00

## Quick Pick Guide

for the most commonly ordered units

MicroDock II and Module Type	Kit Type	Order Number	List Price (USD)
Base Station with 1 <i>GasAlertMicroClip</i> Charging Module and one additional power supply for charging module	No kit (base unit and module only)	DOCK2-2-1C1L-00	\$1,545
	Kit with 34 L Gas	DOCK2-2-1C1L-02	\$2,145
	Kit with 58 L Gas	DOCK2-2-1C1L-04	\$2,745
Base Station with 1 <i>GasAlertMicro</i> Charging Module and one additional power supply for charging module	No kit (base unit and module only)	DOCK2-2-1B1C-00	\$1,645
	Kit with 34 L Gas	DOCK2-2-1B1C-02	\$2,245
	Kit with 58 L Gas	DOCK2-2-1B1C-04	\$2,845
Base Station with 1 <i>GasAlert Extreme</i> Module	No kit (base unit and module only)	DOCK2-2-1D-00	\$1,495
	Kit with 34 L Gas	DOCK2-2-1D-05	\$2,065
	Kit with 58 L Gas	DOCK2-2-1D-06	\$2,615
Base Station with 1 <i>GasAlertClip Extreme H<sub>2</sub>S</i> Module	No kit (base unit and module only)	DOCK2-2-1E-00	\$1,495
	Kit with 34 L Gas	DOCK2-2-1E-05	\$2,065
	Kit with 58 L Gas	DOCK2-2-1E-06	\$2,615
Base Station with 2 <i>GasAlertMicro</i> Charging Modules and one additional power supply for charging modules	No kit (base unit and modules only)	DOCK2-2-2B1C-00	\$2,245
	Kit with 58 L Gas	DOCK2-2-2B1C-04	\$3,445
Base Station with 1 <i>GasAlertMicro</i> Charging Module, 1 <i>GasAlertClip Extreme H<sub>2</sub>S</i> Module and one additional power supply for charging module	No kit (base unit and modules only)	DOCK2-2-1B1C1E-00	\$2,145
	Kit with 58 L Gas	DOCK2-2-1B1C1E-04	\$3,345
Base Station with 1 <i>GasAlertMicro</i> Charging Module, 1 <i>GasAlertClip Extreme H<sub>2</sub>S</i> Module, 1 <i>GasAlert Extreme</i> Module and one additional power supply for charging module	No kit (base unit and modules only)	DOCK2-3-1B1C1D1E-00	\$3,145
	Kit with 58 L Gas	DOCK2-3-1B1C1D1E-04	\$4,345
	add suffix "-N"	North America	
	add suffix "-E"	Europe	
	add suffix "-U"	UK	
	add suffix "-A"	China/Australia	

Region

## Base

<b>DOCK2</b>	You will require one base station (supports up to 10 docking modules) in any configuration.	\$995.00	\$995.00
<b>Inlets</b>			
Each MicroDock II system comes complete with 2-5 inlets in the base station - one fresh air (purge) inlet and one to four calibration gas inlets.			
<b>2</b>	1 fresh air, 1 calibration	no charge	
<b>3</b>	1 fresh air, 2 calibration	\$500.00	
<b>4</b>	1 fresh air, 3 calibration	\$650.00	
<b>5</b>	1 fresh air, 4 calibration	\$800.00	
<b>Modules</b>			
Note the instruments you require docking modules for. How many of each module(s) do you require for your MicroDock II system? Choose up to 10 of the A-H modules (with a maximum of 6 charging modules) in any mixed combination.			
<i>quantity</i>	<i>type</i>	<i>GasAlertMicro Modules</i>	<i>quantity</i>
____	<b>A</b>	without charging capability	____ X \$500.00 =
____	<b>B</b>	with charging capability*	____ X \$600.00 =
<i>GasAlert Extreme Module</i> (O <sub>2</sub> , CO, H <sub>2</sub> S, PH <sub>3</sub> , SO <sub>2</sub> , NH <sub>3</sub> , NO <sub>2</sub> , HCN, ETO or NO [bump only for Cl <sub>2</sub> ])			
____	<b>D</b>	Compatible with GasAlert Extreme (except ClO <sub>2</sub> or O <sub>3</sub> )	____ X \$500.00 =
<i>GasAlertClip Extreme Modules</i>			
____	<b>E</b>	for H <sub>2</sub> S model	____ X \$500.00 =
____	<b>F</b>	for SO <sub>2</sub> model	____ X \$500.00 =
____	<b>G</b>	for CO model	____ X \$500.00 =
____	<b>H</b>	for O <sub>2</sub> model	____ X \$500.00 =
<i>GasAlertMicro 5 &amp; GasAlertMicro 5 PID Modules</i>			
____	<b>J</b>	without charging capability	____ X \$550.00 =
____	<b>K</b>	with charging capability* (charging modules must have option 1C)	____ X \$650.00 =
<i>GasAlertMicroClip Module</i>			
____	<b>L</b>	with charging capability* (charging modules must have option 1C)	____ X \$500.00 =
<b>1</b>	<b>C</b>	*Power Supply when ordering charging module (B/K/L)	\$50.00 =
<b>Kits</b>			
Choose your portable kit option. If requiring a calibration gas not listed below, order a kit without gas and order the gas separately.			
<b>00</b>	No carrying case. Base station and docking module(s) only. Order demand flow regulator (REG-DF-1) and calibration gas separately	no charge	
<i>Hard Case Kits</i> — holds 1 base station, 1 docking module and 1 34L cylinder of calibration gas			
<b>01</b>	Kit with 1 demand flow regulator, no gas	\$430.00	
<b>02</b>	Kit with 1 demand flow regulator, 1 34L cylinder of LEL, O <sub>2</sub> , CO, H <sub>2</sub> S calibration gas	\$600.00	
<b>05</b>	Kit with 1 demand flow regulator, 1 34L cylinder of H <sub>2</sub> S calibration gas	\$570.00	
<i>Heavy Duty Case Kits</i> — holds 1 base station, 1-3 docking module(s) and 1-3 58L cylinder(s) of calibration gas in a foam-lined, water proof heavy-duty case			
<b>03</b>	Kit with 1 DFR (Demand Flow Regulator), no gas	\$975.00	
<b>04</b>	Kit with 1 DFR, 1 58L cylinder of LEL, O <sub>2</sub> , CO, H <sub>2</sub> S calibration gas	\$1,200.00	
<b>06</b>	Kit with 1 DFR, 1 58L cylinder of H <sub>2</sub> S calibration gas	\$1,120.00	
<b>Region</b>			
<b>N</b>	3-pin North American plug	no charge	
<b>E</b>	2-pin European plug	no charge	
<b>U</b>	3-pin United Kingdom plug	no charge	
<b>A</b>	3-pin Australian plug	no charge	
<b>DOCK2</b>	-	-	Total

For example, for a *MicroDock II* with: Base station, 2 inlets, 3 *GasAlertMicro* charging modules (and one additional power supply for charging module), 1 *GasAlert Extreme* module, 3 *GasAlertClip Extreme* H<sub>2</sub>S modules for use in North America, the order number is: DOCK2-2-3B1C1D3E-00-N

#	A	#	B	#	C
---	---	---	---	---	---

etc.

# MicroDock II Accessories and Spares

MicroDock II	Order Number	Price(USD)
<b>Accessories and Spares</b>		
MultiMediaCard (MMC) 32 MB	MMC32	\$25.00
MultiMediaCard (MMC) 64 MB	MMC64	\$80.00
MMC USB Reader (USB Port) for MMC cards	CR-MMC-USB1	\$55.00
Network USB Communication device for <i>MicroDock II</i>	DOCK2-LAN1	\$400.00
Replacement Battery C cell (each)	E1559	\$2.50
Demand Flow Regulator for <i>MicroDock II</i>	REG-DF-1	\$325.00
Demand Flow Regulator for refillable cylinders, CGA connector	REG-DF-2	\$350.00

\*Note: For sampling hoses and calibration gases, see Calibration Equipment section, page 52



Engineered for environments that require reliable, multi-parameter monitoring, the GasProbe IAQ is industry's most versatile portable instrument. Ergonomically designed and user-friendly, the GasProbe IAQ delivers peak performance that's second to none.

With a full line of accessories to add even more versatility, the GasProbe IAQ is an ideal tool for indoor air quality management.

## Features:

- Simultaneous monitoring of four parameters: carbon monoxide (CO), carbon dioxide, ( $\text{CO}_2$ ), relative humidity (RH) and temperature ( $T^\circ$ )
- Datalogging models available with minimum 77 days of datalogging capacity
- Download data to your computer via infrared port
- Field-proven sensing technology
- Compact and lightweight
- Audible, visual and vibrating alarms
- Comprehensive display of data
- Simple automatic calibration procedure
- Peak readings on demand: STEL and TWA
- Menu-driven operation
- Full array of accessories, including datalogging software in deluxe and standard versions
- Plug-in AC power adaptor, CO and  $\text{CO}_2$  sensors, lithium battery and instructions included
- One year warranty including sensor

## Packaging Contents:

**Standard Versions:** Monitor comes complete and ready for use with sensor(s), rechargeable lithium ion battery, plug-in AC power adaptor and instructions. One year warranty including sensors.

**Datalogging Versions:** Include standard version contents plus standard graphing software.

**Hygienist Kits:** Include standard version contents plus power adaptor, Li-ion battery, deluxe datalogging software and hard sided carrying case.

*Note: Deluxe software available on [www.gasmonitors.com](http://www.gasmonitors.com)*

GasProbe IAQ	Standard	Datalogging -add suffix -DL to order number e.g. IAQ-4-DL	Hygienist Kit -add suffix -DL-K1 to order number e.g. IAQ-4-DL-K1
T°, RH, CO and CO <sub>2</sub>	IAQ-4	\$1,195.00	\$1,390.00
For 220 VAC please order IAQ- PAU-1 (see Accessories section)			

\*Note: For additional GasProbe IAQ configurations, consult factory.

GasProbe IAQ	Order Number	Price(USD)
<i>GasProbe IAQ Accessories</i>		
Deluxe Datalogging Software	IAQ-DLX	\$200.00
USB/IRDA Interface Cable	IAQ-IC	\$225.00
Neckstrap with safety release for use with single gas concussion-proof boots	GA-NS-1	\$10.00
Battery, rechargeable lithium ion	IAQ-BAT	\$65.00
Desktop Battery Charger	IAQ-BC1	\$65.00
AC Power Adaptor, North America 110VAC	IAQ-PA-1	\$30.00

# GasProbe CO



ACTUAL SIZE



Wrist Strap  
GA-WS-2  
\$5.00

Compact and lightweight, the *GasProbe CO* provides fast, accurate sampling of CO concentrations from 0 to 1,000 parts per million (ppm).

GasProbe CO is ideal for technicians, fire department personnel and other professionals who need to measure CO levels where accumulation of combustion gas is possible, such as industrial environments, commercial buildings, or residential dwellings.

## Features:

- LCD displays CO levels from 0-1,000 ppm
- The higher the concentration of CO, the faster the beeper sounds
- LCD backlight activates automatically in lowlight conditions
- Automatic sensor zeroing and self-test sequence upon startup
- Stores and displays the maximum CO levels encountered (MAXHOLD)
- CO level beeper can be silenced if desired
- Automatic power-off after 20 minutes extends battery life
- Simple, automatic calibration procedure
- Easy-to-replace 9 VDC battery (battery life 500 hours)
- Stabilized electrochemical CO specific sensor
- Typical three year sensor life, one year calibration cycle
- Manuals available in local languages
- One year warranty including sensor

## Packaging Contents:

**Standard Versions:** The GasProbe CO comes with the detector, sensor and instructions.



Carrying Case  
Soft Sided  
CO-CASE1  
\$30.00

**GasProbe CO**

Carbon Monoxide (CO)	Low - 35 ppm / High - 200 ppm	CO-PROBE	\$220.00
----------------------	-------------------------------	----------	----------

**GasProbe CO****Order Number****Price(USD)****GasProbe CO Accessories**

Carrying Case, soft-sided	CO-CASE1	\$30.00
Wrist Strap	D4-M1725	\$7.00
Neckstrap with safety release	GA-NS-1	\$10.00
Test Cap and Hose	CO-TC-1	\$10.00
SamplerPak, motorized sampling pump - portable kit <i>Note: Specify plug/region version (-xx): United Kingdom (-UK), European (-EU), China/New Zealand (-CN), Australia (-AU), Switzerland (-CH)</i>	GA-SPAK (-xx)	\$285.00
Collapsible Sample Probe (3 ft./0.9 m) for Sampler	SP-CPROB1	\$65.00
Collapsible Sample Probe (14 ft./3.4 m) for Sampler	SP-CPROB1-14	\$115.00
Sampling Hose (10 ft./3 m) with quick connect and particulate filter for Sampler — for longer hose lengths: modify order number suffix and add unit cost to base cost (D4-HSP-10)	D4-HSP-10 D4-HSP-(##)	\$55.00 add \$2.50 / ft.
Sample Probe for Sampler - per ft./0.3 m (maximum 8 ft./2.4 m)	SP-T1-2	\$2.50 / ft.
Belt Holster for Sampler	GA-HSAMP	\$20.00
Carrying Case with foam for SamplerPaks (included with SamplerPak kit order)	SPA-K-CC1	\$45.00
Replacement Sampler Pump Filters (white), kit 5	SP-PF-1	\$10.00
Airstone Water/Particulate Filter for Sampling Hoses	D4-PF-1	\$18.00
Short Sample Tube (4.65 in./11.8 cm) with barbed fitting	SP-T2-S	\$12.00
Manual Aspirator Pump Kit with 1 ft./0.3 m probe	GA-AS02	\$79.00
Hydrophobic filter replacement with male connector for Aspirator Pump	D4-WT-1	\$9.00
Sampling Hose (10 ft./3 m) with particulate filter for Aspirator Pump — for longer hose lengths: modify order number suffix and add unit cost to base cost (D4-HAS-10)	D4-HAS-10 D4-HAS-(##)	\$75.00 add \$2.50 / ft.
Carrying Case with foam for SamplerPaks (included with SamplerPak kit order)	SPA-K-CC1	\$45.00
Replacement Carbon Monoxide (CO) Sensor	PS-RM04	\$220.00



**SamplerPak**  
Motorized Sampling Pump  
GA-SPAK  
\$285.00



*Manual Aspirator Pump*  
with 1 ft. / 0.3 m probe and test cap  
GA-AS02  
\$79.00

*GasAlertMicro  
and Sampler*  
used to ensure safety  
of confined spaces,  
prior to entry.



*GasAlertMicro5  
saves workers and  
facilities in any  
industrial site.*

# Appendix

Calibration Equipment	
<i>Quad Gas Cylinders</i>	52
<i>Single Gas Cylinders</i>	53
<i>Triple Gas Cylinders</i>	55
<i>Dual Gas Cylinders</i>	55
<i>Test Gases</i>	56
<i>Calibration Kits</i>	56
<i>Gas Generators</i>	57
<i>Regulators and Accessories</i>	57
<i>Calibration Hoses</i>	57
PID Information	58
Service and Training	60
Distributor's Website	60



# Calibration Equipment

## CALIBRATION EQUIPMENT

### Quad Gas Cylinders

Description	Cylinder Material	Compatible Regulator	Balance	Volume (Liters)	Order Number	Price
CH4 2.5%, O2 18.0%, H2S 25ppm, CO-100ppm	Aluminum	REG-0.5	N2	34	CG-Q34-4	\$170.00
CH4 2.5%, O2 18.0%, H2S 25ppm, CO 100ppm	Aluminum	REG-0.5	N2	58	CG-Q58-4	\$227.00
CH4 2.5%, O2 18.0%, H2S 25ppm, CO 100ppm (refillable)	Aluminum	REG-0.5-900L	N2	900	CG-Q900-4	\$1,495.00
CH4 2.5%, O2 18.0% H2S 25ppm, CO 200ppm	Aluminum	REG-0.5	N2	34	CG-Q34-11	\$170.00
CH4 2.5%, O2 18.0% H2S 25ppm, CO 200ppm	Aluminum	REG-0.5	N2	58	CG-Q58-11	\$227.00
CH4 2.5%, O2 15.0% H2S 25ppm, CO 200ppm	Aluminum	REG-0.5	N2	34	CG-Q34-12	\$170.00
CH4 2.5%, O2 15.0% H2S 25ppm, CO 200ppm	Aluminum	REG-0.5	N2	58	CG-Q58-12	\$227.00
CH4 2.5%, O2 15.0% H2S 25ppm, CO 150ppm	Aluminum	REG-0.5	N2	34	CG-Q34-10	\$170.00
CH4 2.5%, O2 15.0% H2S 25ppm, CO 150ppm	Aluminum	REG-0.5	N2	58	CG-Q58-10	\$227.00
CH4 2.5%, O2 20.9%, H2S 25ppm, CO 100ppm	Aluminum	REG-0.5	N2	34	CG-Q34	\$170.00
CH4 2.5%, O2 20.9%, H2S 25ppm, CO 100ppm	Aluminum	REG-0.5	N2	58	CG-Q58	\$227.00
CH4 2.2%, O2 18.0%, H2S 25ppm, CO 100ppm	Aluminum	REG-0.5	N2	34	CG-Q34-5	\$170.00
CH4 2.2%, O2 18.0%, H2S 25ppm, CO 100ppm	Aluminum	REG-0.5	N2	58	CG-Q58-5	\$227.00
CH4 2.2%, O2 18.0% H2S 25ppm, CO 200ppm	Aluminum	REG-0.5	N2	34	CG-Q34-13	\$170.00
CH4 2.2%, O2 18.0% H2S 25ppm, CO 200ppm	Aluminum	REG-0.5	N2	58	CG-Q58-13	\$227.00
CH4 2.2%, O2 20.9%, H2S 25ppm, CO 100ppm	Aluminum	REG-0.5	N2	34	CG-Q34-2	\$170.00
CH4 2.2%, O2 20.9%, H2S 25ppm, CO 100ppm	Aluminum	REG-0.5	N2	58	CG-Q58-2	\$227.00
CH4 10%, O2 18.0%, H2S 10ppm, CO 35ppm	Aluminum	REG-0.5	N2	58	CG-Q58-9	\$227.00
CH4 1.62%, O2 20.9%, H2S 25ppm, CO 100ppm	Aluminum	REG-0.5	N2	58	CG-Q58-7	\$227.00
CH4 1.25% (50%LEL pentane equiv.), O2 18.0%, H2S 25ppm, CO 100ppm	Aluminum	REG-0.5	N2	34	CG-Q34-4JK	\$170.00

CH4 1.25% (50% LEL pentane equiv.), O2 18.0%, H2S 25ppm, CO 100ppm	Aluminum	REG-0.5	N2	58	CG-Q58-4JK	\$227.00
CH4 1.25% (50% LEL pentane equiv.), O2 18.0%, H2S 25ppm, CO 100ppm (refillable)	Aluminum	REG-0.5-900L	N2	900	CG-Q900-4JK	\$1,495.00
C3H8 1.25%, O2 18.0%, H2S 25ppm, CO 100ppm	Aluminum	REG-0.5	N2	58	CG-Q58-6	\$227.00
C3H8 1.1%, O2 20.9%, H2S 25ppm, CO 100ppm	Aluminum	REG-0.5	N2	34	CG-Q34-3	\$170.00
C3H8 1.1%, O2 20.9%, H2S 25ppm, CO 100ppm	Aluminum	REG-0.5	N2	58	CG-Q58-3	\$227.00
C3H8 1.1%, O2 18.0%, H2S 25ppm, CO 100ppm	Aluminum	REG-0.5	N2	34	CG-Q34-8	\$170.00
C3H8 1.1%, O2 18.0%, H2S 25ppm, CO 100ppm	Aluminum	REG-0.5	N2	58	CG-Q58-8	\$227.00

### Single Gas Cylinders

Description	Cylinder Material	Compatible Regulator	Volume Balance	Volume (Liters)	Order Number	Price
NH <sub>3</sub> - 50 ppm	Aluminum	REG-1.0	air	34	CG2-A-50-34	\$230.00
NH <sub>3</sub> - 50 ppm	Aluminum	REG-1.0	N <sub>2</sub>	58	CG2-A-50-58	\$375.00
NH <sub>3</sub> - 100 ppm	Aluminum	REG-1.0	N <sub>2</sub>	58	CG2-A-100-58	\$375.00
CO <sub>2</sub> - 600 ppm	Steel	REG2-0.5	N <sub>2</sub>	17	CG2-U-600-17	\$38.00
CO - 10 ppm	Steel	REG2-0.5	air	34	CG2-M-10-34	\$55.00
CO - 10 ppm	Steel	REG-0.5	air	103	CG2-M-10-103	\$125.00
CO - 35 ppm	Steel	REG-0.5	N <sub>2</sub>	103	CG2-M-35-103	\$140.00
CO - 100 ppm	Steel	REG2-0.5	N <sub>2</sub>	34	CG2-M-100-34	\$55.00
CO - 100 ppm	Aluminum	REG-0.5	N <sub>2</sub>	58	CG2-M-100-58	\$165.00
CO - 100 ppm	Steel	REG-0.5	N <sub>2</sub>	103	G0041-M100	\$125.00
CO - 200 ppm	Steel	REG2-0.5	N <sub>2</sub>	34	CG2-M-200-34	\$60.00
CO - 200 ppm	Steel	REG-0.5	N <sub>2</sub>	103	CG2-M-200-103	\$125.00
CO - 300 ppm	Steel	REG-0.5	N <sub>2</sub>	103	CG2-M-300-103	\$125.00
CO - 500 ppm	Steel	REG-0.5	N <sub>2</sub>	103	CG2-M-500-103	\$140.00
Cl <sub>2</sub> - 2 ppm	Aluminum	REG-1.0	N <sub>2</sub>	34	CG2-C-2-34	\$225.00
Cl <sub>2</sub> - 5 ppm	Aluminum	REG-1.0	N <sub>2</sub>	34	CG2-C-5-34	\$250.00
Cl <sub>2</sub> - 5 ppm	Aluminum	REG-1.0	N <sub>2</sub>	58	CG2-C-5-58	\$315.00
Cl <sub>2</sub> - 10 ppm	Aluminum	REG-1.0	N <sub>2</sub>	34	CG2-C-10-34	\$225.00
Cl <sub>2</sub> - 50 ppm	Aluminum	REG-1.0	N <sub>2</sub>	58	CG2-C-50-58	\$385.00
Ethylene Oxide (ETO) - 10 ppm	Aluminum	REG-1.0	N <sub>2</sub>	58	CG2-E-10-58	\$395.00
Hydrogen Chloride (HCl) - 10 ppm	Aluminum	REG-0.5	N <sub>2</sub>	58	CG2-L-10	\$315.00
Hydrogen Cyanide (HCN) - 10 ppm	Aluminum	REG-0.5	N <sub>2</sub>	34	CG2-Z-10-34	\$225.00
Hydrogen Cyanide (HCN) - 10 ppm	Aluminum	REG-0.5	N <sub>2</sub>	58	CG2-Z-10-58	\$375.00
H <sub>2</sub> S - 15 ppm	Aluminum	REG-0.5	N <sub>2</sub>	58	CG-H-15	\$195.00
H <sub>2</sub> S - 35 ppm	Aluminum	REG-0.5	N <sub>2</sub>	58	CG-H-35	\$165.00

# Calibration Equipment (cont'd)

## CALIBRATION EQUIPMENT

### Single Gas Cylinders (continued)

Description	Cylinder Material	Compatible Regulator	Balance	Volume (Liters)	Order Number	Price
H <sub>2</sub> S - 10 ppm	Aluminum	REG-0.5	N <sub>2</sub>	58	CG2-H-10	\$165.00
H <sub>2</sub> S - 20 ppm	Aluminum	REG-0.5	N <sub>2</sub>	58	CG2-H-20	\$165.00
H <sub>2</sub> S - 25 ppm	Aluminum	REG-0.5	N <sub>2</sub>	34	CG2-H-25-34	\$135.00
H <sub>2</sub> S - 25 ppm	Aluminum	REG-0.5	N <sub>2</sub>	58	G0042-H25	\$145.00
H <sub>2</sub> S - 25 ppm	Aluminum	REG-0.5	air	58	CG3-H-25-58	\$175.00
H <sub>2</sub> S - 50 ppm	Aluminum	REG-0.5	N <sub>2</sub>	34	CG2-H-50-34	\$145.00
H <sub>2</sub> S - 50 ppm	Aluminum	REG-0.5	N <sub>2</sub>	58	CG2-H-50-58	\$160.00
H <sub>2</sub> S - 50 ppm	Aluminum	REG-0.5	air	58	CG2-H-50-58-2	\$160.00
H <sub>2</sub> S - 100 ppm	Aluminum	REG-0.5	N <sub>2</sub>	34	CG2-H-100-34	\$145.00
NO <sub>2</sub> - 5 ppm	Aluminum	REG-1.0	air	34	CG2-D-5-34	\$225.00
NO <sub>2</sub> - 10 ppm	Aluminum	REG-1.0	air	34	CG2-D-10-34	\$225.00
NO <sub>2</sub> - 10 ppm	Aluminum	REG-1.0	air	58	CG2-D-10-58	\$360.00
NO <sub>2</sub> - 25 ppm	Aluminum	REG-1.0	air	34	CG2-D-25-34	\$225.00
NO <sub>2</sub> - 25 ppm	Aluminum	REG-1.0	air	58	CG2-D-25-58	\$360.00
O <sub>2</sub> - 18.0%	Steel	REG2-0.5	N <sub>2</sub>	34	CG2-X-18.0-34	\$45.00
O <sub>2</sub> - 100 ppm	Steel	REG-0.5	N <sub>2</sub>	103	CG2-X-100-103	\$145.00
SO <sub>2</sub> - 10 ppm	Aluminum	REG-0.5	N <sub>2</sub>	34	CG2-S-10-34	\$140.00
SO <sub>2</sub> - 20 ppm	Aluminum	REG-0.5	N <sub>2</sub>	34	CG2-S-20-34	\$140.00
SO <sub>2</sub> - 20 ppm	Aluminum	REG-0.5	N <sub>2</sub>	58	CG2-S-20-58	\$160.00
SO <sub>2</sub> - 25 ppm	Aluminum	REG-0.5	N <sub>2</sub>	58	CG2-S-25-58	\$145.00
SO <sub>2</sub> - 50 ppm	Aluminum	REG-0.5	N <sub>2</sub>	58	CG2-S-50-58	\$145.00
NO - 50 ppm	Aluminum	REG-0.5	N <sub>2</sub>	34	CG2-N-50-34	\$225.00
NO - 50 ppm	Aluminum	REG-0.5	air	58	CG2-N-50-58	\$375.00
PH <sub>3</sub> - 1 ppm	Aluminum	REG-0.5	N <sub>2</sub>	34	CG2-P-1-34	\$395.00
PH <sub>3</sub> - 1 ppm	Aluminum	REG-0.5	N <sub>2</sub>	58	CG2-P-1-58	\$575.00
PH <sub>3</sub> - 5 ppm	Aluminum	REG-0.5	N <sub>2</sub>	34	CG2-P-5-34	\$395.00
PH <sub>3</sub> - 5 ppm	Aluminum	REG-0.5	N <sub>2</sub>	58	CG2-P-5-58	\$575.00
Isobutylene - 100 ppm	Steel	REG2-0.5	air	34	CG2-IB-100-34ST	\$45.00
Isobutylene - 100 ppm	Aluminum	REG-0.5	air	34	CG2-IB-100-34AL	\$120.00
Isobutylene - 100 ppm	Aluminum	REG-0.5	air	58	CG2-IB-100-58AL	\$165.00
Isobutylene - 100 ppm	Steel	REG-0.5	air	103	CG2-IB-100-103ST	\$140.00
Methane (CH <sub>4</sub> ) - 2.5% (50%LEL)	Steel	REG2-0.5	air	17	CG2-J-2.5-17	\$55.00
Methane (CH <sub>4</sub> ) - 2.5% (50%LEL)	Steel	REG2-0.5	air	34	CG2-J-2.5-34	\$55.00
Methane (CH <sub>4</sub> ) - 2.5% (50%LEL)	Steel	REG-0.5	air	103	CG2-J-2.5-103	\$150.00
Methane (CH <sub>4</sub> ) - 2.2% (50%LEL)	Steel	REG2-0.5	air	34	CG2-J-2.5-34-2	\$55.00
Methane (CH <sub>4</sub> ) - 2.5% (50%LEL)	Aluminum	REG-0.5	air	34	CG2-J-2.5-34AL	\$135.00
Methane (CH <sub>4</sub> ) - 2.5% (50%LEL)	Aluminum	REG-0.5	air	58	CG2-J-2.5-58	\$160.00
Methane (CH <sub>4</sub> ) - 2.2% (50%LEL)	Aluminum	REG-0.5	air	34	CG2-J-2.2-34	\$55.00
Methane (CH <sub>4</sub> ) - 2.2% (50%LEL)	Aluminum	REG-0.5	air	58	CG2-J-2.2-58	\$180.00
Pentane (C <sub>5</sub> H <sub>12</sub> ) - 0.35% (25 %LEL)	Steel	REG2-0.5	air	34	CG2-K-0.35-34	\$55.00

Pentane (C <sub>5</sub> H <sub>12</sub> ) - 0.75% (50%LEL)	Steel	REG2-0.5	air	34	CG2-K-0.75-34	\$55.00
Pentane (C <sub>5</sub> H <sub>12</sub> ) - 0.75% (50%LEL)	Steel	REG-0.5	air	103	CG2-K-0.75-103	\$145.00
Hexane (C <sub>6</sub> H <sub>14</sub> ) - 0.3% (25%LEL)	Steel	REG-0.5	air	103	CG2-Q-0.3	\$140.00
Hexane (C <sub>6</sub> H <sub>14</sub> ) - 0.48% (50%LEL)	Steel	REG2-0.5	air	17	CG2-Q-0.48-17	\$55.00
Hexane (C <sub>6</sub> H <sub>14</sub> ) - 100 ppm	Steel	REG-0.5	air	103	CG2-Q-100-103	\$150.00
Propane (C <sub>3</sub> H <sub>8</sub> ) - 0.85% (50%LEL)	Aluminum	REG-0.5	air	58	CG2-R-0.85-58	\$395.00
Propane (C <sub>3</sub> H <sub>8</sub> ) - 1.0% (50%LEL)	Steel	REG2-0.5	air	34	CG2-R-1.0-34	\$55.00
Propane (C <sub>3</sub> H <sub>8</sub> ) - 1.0% (50%LEL)	Aluminum	REG-0.5	air	34	CG2-R-1.0-34AL	\$135.00
Propane (C <sub>3</sub> H <sub>8</sub> ) - 1.1% (50%LEL)	Steel	REG-0.5	air	103	CG2-R-1.0-103	\$125.00
Butane (C <sub>4</sub> H <sub>10</sub> ) - 0.925% (50%LEL)	Steel	REG2-0.5	air	17	CG2-I-0.925-17	\$55.00
Butane (C <sub>4</sub> H <sub>10</sub> ) - 0.9% (49%LEL)	Aluminum	REG-0.5	air	58	CG2-I-0.9-58	\$161.00
H <sub>2</sub> - 2% (50%LEL)	Steel	REG2-0.5	air	34	CG2-F-2.0-34	\$55.00
H <sub>2</sub> - 2% (50%LEL)	Steel	REG2-0.5	air	17	CG2-F-2-17	\$55.00
H <sub>2</sub> - 2% (50%LEL)	Steel	REG2-0.5	air	103	CG2-F-2-103	\$265.00
Nitrogen Gas (100% N <sub>2</sub> ) for use with Test Stations	Steel	REG-0.5	-	103	G0043-N2	\$125.00
Zero Air THC	Steel	REG2-0.5	-	34	CG-ZERO-34	\$55.00
Zero Air THC	Steel	REG-0.5	-	103	CG-ZERO-103	\$125.00

### *Triple Gas Cylinders*

Description	Cylinder Material	Compatible Regulator	Volume Balance	Volume (Liters)	Order Number	Price
Tri gas - CO (100ppm), CH <sub>4</sub> (2.5%LEL), O <sub>2</sub> (18.0%)	Steel	REG2-0.5	N <sub>2</sub>	34	CG-TR34-1	\$80.00
Tri gas - SO <sub>2</sub> (10ppm), CH <sub>4</sub> (2.5%LEL), O <sub>2</sub> (18.0%)	Aluminum	REG-0.5	N <sub>2</sub>	34	CG-TR34-2	\$170.00
Tri gas - CO (100ppm), CH <sub>4</sub> (2.5%LEL), O <sub>2</sub> (18.0%)	Steel	REG-0.5	N <sub>2</sub>	103	CG-TR103-1	\$150.00
Tri gas - H <sub>2</sub> S (25ppm), CH <sub>4</sub> (2.5%LEL), O <sub>2</sub> (18.5%)	Aluminum	REG-0.5	N <sub>2</sub>	58	CG-JXH	\$237.00
Tri Gas - CO (200ppm), CH <sub>4</sub> (2.5%LEL), O <sub>2</sub> (18.5%)	Steel	REG-0.5	N <sub>2</sub>	103	CG-JXM	\$167.00

### *Dual Gas Cylinders*

Description	Cylinder Material	Compatible Regulator	Volume Balance	Volume (Liters)	Order Number	Price
Two Gas - 50%LEL, CH <sub>4</sub> (2.5%), H <sub>2</sub> S (25ppm)	Aluminum	REG-0.5	N <sub>2</sub>	58	CG2-JH	\$240.00
Two Gas - 50%LEL, CH <sub>4</sub> (2.5%), O <sub>2</sub> (20.9%)	Steel	REG-0.5	N <sub>2</sub>	103	CG2-JX	\$125.00
Two Gas - 50%LEL, CH <sub>4</sub> (2.2%), O <sub>2</sub> (18.0%)	Aluminum	REG-0.5	air	34	CG2-JX-2.2-34	\$125.00
Two Gas - 50%LEL, CH <sub>4</sub> (2.2%), O <sub>2</sub> (18.0%)	Aluminum	REG-0.5	N <sub>2</sub>	58	CG2-JX-2.2-58	\$175.00
Two Gas - 50%LEL, CH <sub>4</sub> (2.5%), O <sub>2</sub> (18.0%)	Steel	REG2-0.5	N <sub>2</sub>	34	CG2-JX-34	\$125.00
Two Gas - 50%LEL, CH <sub>4</sub> (2.5%), O <sub>2</sub> (18.0%)	Aluminum	REG-0.5	N <sub>2</sub>	58	CG2-JX-58	\$175.00

# Calibration Equipment (cont'd)

## CALIBRATION EQUIPMENT

Dual Gas Cylinders (cont'd)						
Description	Cylinder Material	Compatible Regulator	Balance	Volume (Liters)	Order Number	Price
Two Gas - 50%LEL, C <sub>3</sub> H <sub>8</sub> (1.1%), O <sub>2</sub> (18.0%)	Aluminum	REG-0.5	N <sub>2</sub>	58	CG2-RX-58	\$210.00
Two Gas - 50%LEL, C <sub>3</sub> H <sub>8</sub> (1.1%), O <sub>2</sub> (18.0%)	Steel	REG-0.5	N <sub>2</sub>	103	CG2-RX-103	\$130.00
Two Gas - 50%LEL, CH <sub>4</sub> (2.5%), O <sub>2</sub> (18.0%)	Aluminum	REG-0.5	N <sub>2</sub>	34	CG2-J2.5-X18.0-34AL	\$125.00
Two Gas - Toluene (100ppm) O2%	Aluminum	REG-0.5	air	58	CG2-WX-58AL	\$180.00
Two Gas - 50%LEL, CH <sub>4</sub> (2.5%), O <sub>2</sub> (20.9%)	Steel	REG-0.5	N <sub>2</sub>	103	CG-JX	\$125.00
Two Gas - 50%LEL, CH <sub>4</sub> (2.5%), O <sub>2</sub> (20.9%)	Steel	REG2-0.5	N <sub>2</sub>	34	CG-T34	\$60.00
Two Gas - 50%LEL, CH <sub>4</sub> (2.5%), O <sub>2</sub> (20.9%)	Aluminum	REG-0.5	N <sub>2</sub>	34	CG-T34AL	\$125.00
Two Gas - 50%LEL, CH <sub>4</sub> (2.2%), O <sub>2</sub> (20.9%)	Steel	REG-0.5	N <sub>2</sub>	103	CG-T103-1	\$150.00

Test Gases						
Description	Cylinder Material	Balance	Volume (Liters)	Order Number	Price	
“BUMP” Alarm Test Gas Aerosol (H <sub>2</sub> S - 25ppm)	Aluminum	N <sub>2</sub>	11	CG-BUMP-H25	\$50.00	
“BUMP” Alarm Test Gas Aerosol (CO - 100ppm)	Aluminum	N <sub>2</sub>	11	CG-BUMP-M100	\$50.00	
“BUMP” Alarm Test Gas Aerosol (H <sub>2</sub> S - 40ppm, CO - 200ppm, CH <sub>4</sub> - 2.5%, O <sub>2</sub> - 10%)	Aluminum	N <sub>2</sub>	11	CG-BUMP1	\$50.00	
“BUMP” Alarm Test Gas Aerosol (H <sub>2</sub> S - 25ppm, CO - 100ppm, CH <sub>4</sub> - 2.2%, O <sub>2</sub> - 20.9%)	Aluminum	N <sub>2</sub>	11	CG-BUMP2	\$50.00	
“BUMP” Alarm Test Gas Aerosol (H <sub>2</sub> S - 25ppm, CO - 100ppm, C <sub>3</sub> H <sub>8</sub> - 1.1%, O <sub>2</sub> - 20.9%)	Aluminum	N <sub>2</sub>	11	CG-BUMP3	\$50.00	
Spare Balloon Assembly Kit with tubing and adaptor for “BUMP” gas	-	-	-	CG-BUMP-B-K	\$10.00	
Spare Balloons for “BUMP” gas (kit of 10)	-	-	-	CG-BUMP-B	\$7.00	

*Note: Test Gases are used for qualitative functional testing of sensors and alarms only. Test gases cannot be used as calibration gases.*

Calibration Kits - includes carrying case, regulator, gas cylinder, and hose						
Description	Cylinder Material	Compatible Regulator	Volume (Liters)	Order Number	Price	
Quad gas (CG-Q34), REG-0.5	Aluminum	REG-0.5	34	CK-Q34	\$438.00	
Quad gas (CG-Q34-2), REG-0.5	Aluminum	REG-0.5	34	CK-Q34-2	\$438.00	
Quad gas (CG-Q34-4), REG-0.5	Aluminum	REG-0.5	34	CK-Q34-4	\$438.00	
Quad gas (CG-Q34-5), REG-0.5	Aluminum	REG-0.5	34	CK-Q34-5	\$438.00	
Quad gas (CG-Q58), REG-0.5	Aluminum	REG-0.5	58	CK-Q58	\$495.00	
Quad gas (CG-Q58-2), REG-0.5	Aluminum	REG-0.5	58	CK-Q58-2	\$495.00	
Quad gas (CG-Q58-4)	Aluminum	REG-0.5	58	CK-Q58-4	\$495.00	
Quad gas (CG-Q58-5)	Aluminum	REG-0.5	58	CK-Q58-5	\$495.00	

Dual gas (CG-T34)	Steel	REG2-0.5	34	CK-T34	\$320.00
Dual gas (CG-T34-2)	Steel	REG2-0.5	34	CK-T34-2	\$320.00
Dual gas Cl <sub>2</sub> (3 ppm) 58 L, Zero Air 103L	Al & Steel	REG-0.5	58/103	CK2-C-ZERO-1	\$715.00
Dual gas CH <sub>4</sub> (50%LEL) 103 L, Zero Air 103 L	Steel	REG-0.5	103/103	CK2-J-ZERO-1	\$608.00
Dual gas HCl (10 ppm) 58L, Zero Air 103 L	Al & Steel	REG-0.5	58/103	CK2-L-ZERO-1	\$715.00
Dual gas CO (50 ppm) 103 L, Zero Air 103 L	Steel	REG-0.5	103/103	CK2-M-ZERO-1	\$638.00
Single gas CO (200 ppm) 103L for GasProbe IAQ	Aluminum	REG-0.1	103	CK-SKSP4IAQ4	\$765.00
Single gas CO (200 ppm) 17L for GasProbe IAQ	Aluminum	REG-0.1	17	CK-LCSP4IAQ4	\$559.00
Single gas (CH <sub>4</sub> - 2.5%)	Aluminum	REG-0.5	58	CK-J58	\$400.00

*Note: See page H for gas mixtures (comparable order number will read "CG-..." instead of "CK-...")*

### Gas Generators

Mini "BUMP" Gas Generator without cell (ACD)	CG-BUMP-GEN	\$395.00
Mini "BUMP" Gas Generator H <sub>2</sub> S cell (ACD)	CG-BUMP-CELL-H	\$395.00
Mini "BUMP" Gas Generator Cl <sub>2</sub> cell (ACD)	CG-BUMP-CELL-C	\$395.00

### Regulators and Accessories

Calibration Gas Regulator (0.5 LPM)	REG-0.5	\$175.00
Calibration Gas Regulator (0.5 LPM) for 900L refillable cylinders	REG-0.5-900L	\$225.00
Calibration Gas Regulator (0.5 LPM)	REG2-0.5	\$175.00
Calibration Gas Regulator (1.0 LPM) for Cl <sub>2</sub> and ETO gases	REG-1.0	\$180.00
Calibration Gas Regulator (0.1 LPM)	REG-0.1	\$144.00
Calibration Gas Regulator - Trigger Style (for use with G0042-H25-BUMP only)	REG-TRIG1	\$195.00
Demand Flow Regulator - for disposable cylinders	REG-DF-1	\$325.00
Demand Flow Regulator - for refillable cylinders, CGA connector	REG-DF-2	\$350.00
Recycle Kit - for calibration gas cylinders	CG-RK-1	\$125.00
Wall Mount for 34L gas cylinder, black	MK-CG2-34B	\$30.00
Wall Mount for 58L gas cylinder, red	MK-CG2-58	\$45.00
58L red carrying case	CK2-CASE1	\$50.00

*Note: MicroDock II requires a REG-DF-1. Aerosols do not require regulators.*

### Calibration Hoses

Calibration Hose, 3 ft (0.9m), Tygon	C2-HOSE1-1	\$2.50
Calibration Hose, 5 ft (1.5m), Tygon	C2-HOSE1-5	\$12.50
Calibration Hose, 10 ft (3.0m), Tygon	C2-HOSE1-10	\$25.00
Calibration Hose, 15 ft (4.5m), Tygon	C2-HOSE1-15	\$37.50
Calibration Hose, 25 ft (7.6m), Tygon	C2-HOSE1-25	\$62.50
Calibration Hose, 50 ft (15.2m), Tygon	C2-HOSE1-50	\$125.00
Calibration Hose, 3 ft. (0.9m), Teflon with flared ends for Cl <sub>2</sub> cal gas with Reg-1.0	C2-HOSE2	\$14.00
Calibration Hose, 5 ft. (1.5m), Teflon with flared ends for Cl <sub>2</sub> cal gas with Reg-1.0	C2-HOSE3	\$30.00
Calibration Hose, 1 ft (0.3m), Teflon-lined for use with reactive gases	C2-HOSE4-1	\$4.00
Calibration Hose, 5 ft (1.5m), Teflon-lined for use with reactive gases	C2-HOSE4-5	\$20.00
Calibration Hose, 10 ft (3.0m), Teflon-lined for use with reactive gases	C2-HOSE4-10	\$40.00
Calibration Hose, 15 ft (4.5m), Teflon-lined for use with reactive gases	C2-HOSE4-15	\$60.00
Calibration Hose, 25 ft (7.6m), Teflon-lined for use with reactive gases	C2-HOSE4-25	\$100.00
Calibration Hose, 50 ft (15.2m), Teflon-lined for use with reactive gases	C2-HOSE4-50	\$200.00
Connector fitting for teflon-lined hose C2-HOSE4	C2-CF-HOSE4	\$8.00

### VOCs and PID

VOCs are organic compounds characterized by a tendency to evaporate easily at room temperature with the potential of forming a toxic gas concentration. While some Volatile Organic Compounds (VOCs) are acutely toxic at low concentrations, the harmful effects of most VOCs are delayed. Negative effects may occur long after the primary exposure thus many people ignore the potential danger. Long-term effects can include leukemia, memory problems, loss of hand-eye coordination, cancer, and a range of other physiological affects. Many personnel throughout the world work every day unprotected from VOCs either because they are unaware of the toxic hazards, or because they are without a monitor that detects for these gas concentrations.

Most VOCs have surprisingly low occupational exposure limits. An increased awareness has resulted in several newly revised VOC exposure limits, including TLVs for diesel vapor, kerosene, and gasoline. Photoionization detectors (PIPs) are able to detect VOCs and large hydrocarbon molecules that are undetectable by catalytic and electrochemical sensors. The GasAlertMicro 5 PID is the industry's first portable *and* affordable PID gas detector capable of alerting users to combustible and toxic gas hazards including a large array of VOCs.

Substance	Ionization Energy	Detectable by
carbon monoxide	14.01	
hydrogen cyanide	13.60	electrochemical sensor
methane	12.98	electrochemical sensor
sulfur dioxide	12.32	combustible sensor
oxygen	12.08	electrochemical sensor
chlorine	11.48	O <sub>2</sub> sensor
chlorine dioxide	10.57	electrochemical sensor
hydrogen sulfide	10.46	electrochemical sensor
n-hexane	10.18	electrochemical sensor
ammonia	10.16	electrochemical sensor
hexane	10.13	electrochemical sensor
phosphine	9.87	combustible sensor
nitrogen dioxide	9.75	electrochemical sensor
acetone	9.69	electrochemical sensor
benzene	9.25	
butadiene	9.07	
toluene	8.82	

detectable by 10.6 PID

*PID equipped instruments are generally the best choice for measurement of VOCs at exposure limit concentrations.*

This table lists ten common VOCs, their LEL concentration and their exposure limits per the UK OEL, NIOSH REL and ACGIH TLV. The table also identifies those contaminants (highlighted in red) with toxic exposure limits lower than 5% LEL.

Contaminant	LEL (Vol%)	OSHA PEL	NIOSH REL	TLV	5% LEL in PPM
Acetone	2.5	1,000 PPM TWA	250 PPM TWA	500 PPM TWA 750 PPM STEL	1250 PPM
Diesel (No.2) vapor	0.6	None Listed	None Listed	15 PPM	300 PPM
Ethanol	3.3	1,000 PPM TWA	1000 PPM TWA	1000 PPM TWA	1,650 PPM
Gasoline	1.3	None Listed	None Listed	300 PPM TWA 500 PPM STEL	650 PPM
Hexane	1.1	500 PPM TWA	50 PPM TWA	50 PPM TWA	550 PPM
Isopropyl alcohol	2.0	400 PPM TWA	400 PPM TWA 500 PPM STEL	200 PPM TWA 400 PPM STEL	1000 PPM
Kerosene/Jet Fuels	0.7	None Listed	100 mg/M <sup>3</sup> TWA (approx. 14.4 PPM)	200 mg/M <sup>3</sup> TWA (approx. 29 PPM)	350 PPM
MEK	1.4	200 PPM TWA	200 PPM TWA 300 PPM STEL	200 PPM TWA 300 PPM STEL	700 PPM
Turpentine	0.8	100 PPM TWA	100 PPM TWA	20 PPM TWA	400 PPM
Xylenes (o, m & p isomers)	0.9—1.1	100 PPM TWA	100 PPM TWA 150 PPM STEL	100 PPM TWA 150 PPM STEL	450—550 PPM

  toxic limits that exceed LEL limits

# PID Applications

Confined Space Entry

Aircraft Wingtank Entry

HAZMAT

Pulp and Paper

Chemical Processing

Sewer Entry

Water and  
Wastewater Processing

First Responders

Petrochemical

General Industry

Arson Investigation

Homeland Security

Drug Labs

Perimeter Monitoring

VOC Leak Surveys

Fire Service

Food Packaging

Leak Detection

## VOCs and other gases detected by PID

Acetaldehyde	Dipropyl amine	Methylcyclohexane
Acetic anhydride	Epichlorohydrin	Monomethyl aniline
Acetone	Ethanol	Monomethyl hydrazine
Acrolein	Ethyl acetate	Morpholine
Acrylamide	Ethyl acrylate	Naphthalene
Allyl alcohol	Ethyl amine	Naphthylamine
Allyl chloride	Ethyl amyl ketone	Nitroaniline
Allyl glycidyl ether	Ethyl benzene	Nitrobenzene
Allyl propyl disulfide	Ethyl bromide	Nitrogen dioxide
Amino pyridine	Ethyl disulfide	Nitrotoluene
Ammonia	Ethyl isothiocyanate	Octane
Amyl acetate	Ethyl ether	Pentaborane
Aniline	Ethyl mercaptan	Pentane
Aromatic hydrocarbons	Ethyl propionate	Pentanone
Benzene	Ethyl silicate	Perchloroethylene
Benzyl chloride	Ethylene dibromide	Phenol
Biphenyl	Ethylene diamine	Phenyl ether
Bromoform	Ethyleneimine	Phenylene diamine
Butadiene	Ethynylbenzene	Phenyl hydrazine
2-Butanone (MEK)	Fluorotoluenes	Phosphine
Butoxyethanol	Furfural	Propionaldehyde
Butyl acetate	Furfuryl alcohol	Propyl acetate
Butyl alcohol	Gasoline vapors	Propyl alcohol
Butyl mercaptan	Glycidol	Propyl amine
Butyl amine	Heptane	Propyl benzene
Butyl glycidyl ether	Hexane	Propyl ether
Butyl toluene	Hexanone	Propyl formate
Camphor vapor	Hexone	Propylene
Carbon disulfide	Hexylacetate	Propylene imine
Chloroacetophenone	Hydrogen sulfide	Propylene oxide
Chlorobenzene	Hydroquinone	Pyridine
Chloronitropropane	Iodine	Quinone
Chloroprene	Isoamyl acetate	Stibine
Chrysene	Isobutyl acetate	Solvent vapors, various
Cresol	Isobutyl alcohol	Styrene
Crotonaldehyde	Isophorone	Terphenyls
Cumene (isopropyl benzene)	Isopropyl acetate	Tetrahydrofuran
Cyclohexane	Isopropyl alcohol	Toluene
Cyclohexanol	Isopropyl amine	Toluidine
Cyclohexanone	Isopropyl ether	Trichloroethene
Cyclohexene	Jet fuels	Trichloroethylene
Cyclopentadiene	Kerosene	Triethyl amine
Cyclopropane	Ketene	Trimethyl amine
Diazomethane	Mesitylene	Turpentine vapor
Dibutylphthalate	Mesityl oxide	Vinyl chloride
Dichlorobenzene	Methyl acetate	Vinyl methyl ether
Dichlorvos	Methyl acetylene	Vinyl toluene
Diesel	Methyl acrylate	Xylenes
Diethyl amine	Methyl amyl ketone	
Diethyl ether	Methyl amine	
Diethyl ketone	Methyl bromide	
Diethyl sulfide	Methyl butyl ketone	
Diisopropylamine	Methyl cellosolve	
Dimethyl amine	Methyl ethyl ketone	
Dimethylaniline	Methyl hydrazine	
Dimethylformamide	Methyl iodide	
Dimethylphthalate	Methyl isobutyl ketone	
Dinitro analine	Methyl mercaptan	
Dioxane	Methyl methacrylate	
Diphenyl	Methyl styrene	

Many other hazardous VOCs can be detected by PID that are not found on this list. Please contact the BW Regional Sales Manager in your area for specific chemicals or concerns.

# Service and Training

## Factory In-House Labor:

\$55.00 USD per hour. 1/2 hour minimum.

## Training, Installation, and Field Service:

### *Standard Labor Rate*

\$500.00 USD per day - for each eight hour period (including travel time), plus expenses.

One day minimum. After first full day, \$250.00 USD per four hour period plus expenses thereafter.

### *Weekends and Holidays*

\$625.00 USD per day (including travel time), plus expenses. One day minimum.

## Expenses:

Transportation (airfare or mileage) plus \$250.00 USD per day.

## Terms and Conditions (General):

1. Payment terms are net 30 days.
2. Prices are F.O.B. Arlington, TX, USA.
3. Minimum billing per order is \$50.00 USD.
4. Claims of shortages or shipping errors must be made within 30 days of shipment, otherwise the packing list will be accepted as correct.
5. Prices will normally remain in effect until the next price list is issued. However, all prices are subject to change without notice.

<i>Factory Service Centers</i>			
	<i>USA and Latin America</i>	<i>Canada, Asia and Other Countries</i>	<i>Europe and United Kingdom</i>
Address:	3279 West Pioneer Parkway Arlington, TX USA 76013	2840 - 2 Avenue S.E. Calgary AB Canada T2A 7X9	15 Canada Close Banbury, Oxfordshire UK OX16 2RT
Tel:	1-888-749-8878 or +1-817-274-2487	1-800-663-4164 or +1-403-248-9226	+44 (0) 1295 700300
Fax:	+1-817-274-8321	+1-403-273-3708	+44 (0) 1295 700301

## BW's Distributors Website



BW's Distributor's website is a resource site built to keep you up-to-date on what's happening at BW Technologies. Check out the "Latest Announcements" to see new products, recently released marketing materials and important company news.

Use the Distributor's Website to order or download online the latest:

**Product Brochures**

**Specification Sheets**

**Training Videos**

**Product Photos**

**CD-ROMs**

and other BW promotional materials (posters, advertisements, decals, etc.)

Contact your Regional BW Manager for details on how to access the BW Distributor's website or register online at:

**www.bwdistributors.com**

# A World of Safety

## BW's offices around the world

**BW Technologies by Honeywell Corporate Headquarters**  
2840 2nd Ave SE  
Calgary, Alberta, Canada  
T2A 7X9  
tel +1.403.248.9226  
fax +1.403.273.3708  
toll free 1.800.663.4164

**BW Technologies by Honeywell America**  
3279 West Pioneer Parkway  
Arlington, Texas, USA  
76013  
tel +1.817.274.2487  
fax +1.817.274.8321  
toll free 1.888.749.8878

**BW Technologies by Honeywell Europe**  
5 Canada Close  
Banbury, UK  
OX16 2RT  
tel +44 (0) 1295.700.300  
fax +44 (0) 1295.700.301  
email [bwesales@bwt.net.com](mailto:bwesales@bwt.net.com)

**BW Technologies by Honeywell France**  
515 avenue de la Tramontane  
Zone Athelia IV  
Immeuble Le Forum A31  
13 600 la Ciotat – France  
tel +33 (0) 4.42.98.17.70  
fax +33 (0) 4.42.71.97.05

**BW Technologies by Honeywell Middle East**  
P.O. Box:18081  
Jebel Ali Free Zone  
Dubai, United Arab Emirates  
tel +971.4.887.1766  
fax +971.4.887.1767

**BW Technologies by Honeywell Singapore**  
12 Tannery Road  
#08-02 HB Centre  
Singapore 347722  
tel +65.6748.4915  
fax +65.6465.4151

**BW Technologies by Honeywell Australia**  
Unit 5, 8.20 Brock Street  
Thomastown, Melbourne  
Victoria, Australia 3074  
tel +61.3.9464.2770  
fax +61.3.9464.2772  
toll free 1.300.729.450

**BW Technologies by Honeywell China**  
Room 102, No.1 Building  
Wanliu Yishuiyuan, Wanliu Dong Road  
Haidian District, Beijing, P.R. China  
100089  
tel/fax +86.531-66859988

BW1000-01-01-05-5062-16

[info@bwt.net.com](mailto:info@bwt.net.com)

[www..cn](http://www..cn)

**BW**  
Technologies  
by Honeywell



**BW Technologies** by Honeywell  
CORPORATE HEADQUARTERS  
2840 2nd Ave SE  
Calgary, Alberta, Canada  
T2A 7X9  
tel      +1.403.248.9226  
fax      +1.403.273.3708  
toll free 1.800.663.4164

**BW Technologies** by Honeywell  
AMERICA  
3279 West Pioneer Parkway  
Arlington, Texas, USA  
76013  
tel      +1.817.274.2487  
fax      +1.817.274.8321  
toll free 1.888.749.8878